



Personal Systems Reference Lenovo® ThinkPad® Edge Series and SL Series Notebooks

March 2011 - Version 394



Visit www.lenovo.com/psref for the latest version

ThinkPad®



Lenovo® ThinkPad Edge 14"



Lenovo ThinkPad Edge 14"
(Glossy black model)



Lenovo ThinkPad Edge 14"



USB Port Replicator with Digital Video
45K1610



Lenovo ThinkPad Edge 14"

ThinkPad® Edge 14" 0578 (Intel) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

Type-model	Processor	GHz	Memory	Wide-screen display	Disk SATA GB ⁸ rpm	PCIe Mini Card 802.11	PCIe Mini Card WWAN	Carrier	Top color	Finger print reader	Blue-tooth	Battery cells	Preload	Avail date
0578-23U	i3-350M	2.26	2+1GB	14.0" HD	320G 7200	Intel 6200 ²⁸			Matte black			6	Pro 64	Mar 10
0578-25U	i3-330M	2.13	2GBx2	14.0" HD	250G 5400	11b/g/n			Matte black			4	Home P 64	Mar 10
0578-27U	i3-330M	2.13	2GBx1	14.0" HD	250G 5400	Intel 1000			Glossy black			6	Pro 32	Mar 10
0578-29U	i3-330M	2.13	2GBx1	14.0" HD	250G 5400	Intel 1000			Glossy black			6	Home P 64	Mar 10
0578-2AU	i3-330M	2.13	2GBx2	14.0" HD	250G 5400	Intel 1000	Gobi 2000	AT&T ²³	Glossy black		Blue	6	Pro 64	Mar 10
0578-2BU	i3-330M	2.13	2GBx2	14.0" HD	320G 7200	Intel 1000	Gobi 2000	Verizon ¹⁶	Glossy black		Blue	6	Pro 64	Mar 10
0578-65U	i3-330M	2.13	2GBx2	14.0" HD	320G 7200	Intel 1000			Glossy black	Finger	Blue	6	Pro 64	Mar 10
0578-66U	i3-330M	2.13	2+1GB	14.0" HD	320G 7200	Intel 1000			Glossy red		Blue	6	Home P 64	Mar 10
0578-28U	Cel P4500	1.86	2GBx1	14.0" HD	250G 5400	Intel 1000			Glossy black			6	Home P 64	Apr 10
0578-64U	Cel P4500	1.86	2GBx1	14.0" HD	250G 5400	Intel 1000			Glossy black			6	Pro 32	Apr 10
0578-7ZU	Cel P4500	1.86	2GBx1	14.0" HD	250G 5400	Intel 1000			Matte black			6	Home P 64	Apr 10
0578-82U	i3-330M	2.13	2GBx1	14.0" HD	250G 5400	Intel 1000			Matte black			6	Pro 32	Apr 10
0578-83U	i3-330M	2.13	2+1GB	14.0" HD	250G 5400	Intel 1000			Glossy red		Blue	6	Pro 32	Apr 10
0578-84U	i3-330M	2.13	2+1GB	14.0" HD	250G 5400	Intel 1000	Gobi 2000	AT&T	Glossy black		Blue	6	Pro 32	Apr 10
0578-85U	i3-330M	2.13	2GBx1	14.0" HD	250G 5400	Intel 1000			Matte black			6	Home P 64	Apr 10
0578-86U	i3-330M	2.13	2GBx2	14.0" HD	320G 7200	Intel 1000			Matte black		Blue	6	Pro 64	Apr 10
0578-C5U	i3-350M	2.26	2GBx1	14.0" HD	320G 7200	Intel 1000			Matte black		Blue	6	Pro 64	Apr 10
0578-C6U	i3-350M	2.26	2GBx2	14.0" HD	500G 7200	Intel 1000			Glossy black		Blue	6	Pro 64	Apr 10
• These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)														
Positioning Processor	Sophisticated design with quality, durability and reliability for SMB customers; two spindles Intel® Celeron® Processor P4500 with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), and 2MB cache Intel Core™ i3 processor i3-330M or i3-350M with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology; 3MB cache									Preloaded operating system²⁰ - Some: Genuine Windows® 7 Home Premium 64 - Some: Genuine Windows 7 Professional 32 - Some: Genuine Windows 7 Professional 64				
Memory	2GB, 3GB, or 4GB std / 8GB max ⁷ / PC3-8500 1066MHz DDR3 , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets									Preloaded applications¹⁴ (only some listed) • Rescue and Recovery™ • Access Connections™ • Password Manager • ThinkVantage Power Manager • ThinkVantage System Update • ThinkVantage Toolbox • Norton™ Internet Security 2011 (30 days of virus definitions) • Adobe® Reader® • Adobe Flash® Player • Skype™ for Windows • Microsoft Office 2010 preloaded; purchase product key to activate • Microsoft Research AutoCollage Touch				
SATA DVD±RW SATA disk	DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in 250GB⁸ (5400 rpm), 320GB (7200 rpm), or 500GB (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™													
Widescreen display Camera	14.0" (355mm) HD (1366x768) color, VibrantView (glossy), LED backlight , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 2.0-megapixel, fixed focus													
Integrated graphics	Intel HD Graphics in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display; <i>Max external resolution: 2048x1536 @75Hz; 1920x1080 (HDMI port)</i>													
Keyboard TrackPoint® Touch pad	6-row, spill-resistant, multimedia Fn keys TrackPoint® pointing device, Internet Scroll Bar ¹³ UltraNav™, wide touch pad below keyboard, Tap Zones, multi-touch													
ThinkLight™	None													
Dimensions ³ Weight ² Case color	14.0W" (WxDxH): 13.54" x 9.17" x 1.25-1.46"; 344 x 233mm x 31.8-37.0mm 4-cell: from 4.72 lb (2.14kg); 6-cell: from 4.9 lb (2.22kg); 9-cell: from 5.29 lb (2.40kg) Matte black (top), glossy black (top), or glossy red (top), trimmed with a thin silver band (side); black bottom													
Case material Battery - type ³⁷ Battery - life ¹⁰	Acrylonitrile-Butadiene-Styrene (ABS) plastic Lithium Ion 4-cell or 6-cell 4-cell: up to 2.9 hr; 6-cell: up to 4.5 hr													
Chipset ExpressCard/34 Multicard Reader Ports	Mobile Intel HM55 Express Chipset One ExpressCard/34 7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H) Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)													
PCIe Mini Card 11b/g/n Intel 1000 Gobi™ 2000	Two PCI Express Mini Card slots <i>Some:</i> 11b/g/n wireless ⁴ , ThinkPad 11b/g/n, PCIe Half Mini Card <i>Some:</i> 11b/g/n wireless, PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2 <i>Some:</i> 11a/b/g/n wireless, PCIe Half Mini Card, Intel Centrino Advanced-N 6200, 2x2 <i>Some:</i> Wireless WAN, Qualcomm chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS, contract required with service provider													
Carrier Modem Bluetooth™ Ethernet Intel AMT Audio support	<i>Some:</i> AT&T® or Verizon®, contract required with service provider None <i>Some:</i> Bluetooth 2.1 wireless Realtek® RTL8111DL Gigabit Network Connection None High Definition (HD) Audio, Realtek ALC269 codec / stereo speakers, 1.5 watt x 2/ mono digital microphone, combo audio/mic jack													
Security Security chip Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole None <i>Some:</i> UPEK Fingerprint reader on palm rest, swipe sensor													
Limited warranty ¹²	1-year - depot repair service / service upgrades ²² available													
										ThinkPlus™, ²² 1-year LOR ²⁴ 9x5 NBD 45K5968 ThinkPlus 2-year LOR 9x5 NBD 45K5969 ThinkPlus 3-year LOR 9x5 NBD 45K5970 ThinkPlus 4-year LOR 9x5 NBD 45K5973 ThinkPlus 2-year P&L P/U Depot 45K5971 ThinkPlus 3-year P&L P/U Depot 45K5972 ThinkPlus 4-year P&L P/U Depot 45K5974 Post-warranty annual maintenance agreements at lenovo.com/thinkplus/warranty				

See footnotes for important warranty information

⌘ US models announced April 13, 2010; previous models on March 23 or April 6 2010

⌘ US models withdrawn effective August 2010

© Lenovo
(BER1-1) April 2010

ThinkPad® Edge 14" 0578 (Intel) - TopSeller (Windows 7) - May 2010

Personal Systems Reference (PSREF)

Type-model	Processor	GHz	Max turbo (GHz)	Memory	Wide-screen display	Disk SATA GB ⁸ rpm	PCIe Mini Card 802.11	PCIe Mini Card WWAN	Carrier	Top color	Finger print reader	Blue-tooth	Bat-tery cells	Preload	Avail date
0578-9KU	i3-350M	2.26		4GB	14.0" HD	500G 5400	Intel 1000			Matte black			6	Home P 64	May 10
0578-DGU	i3-350M	2.26		2GB	14.0" HD	320G 7200	Intel 1000			Glossy red			6	Pro 64	May 10
0578-DHU	i3-350M	2.26		4GB	14.0" HD	500G 5400	Intel 1000			Glossy red			6	Pro 64	May 10
0578-F5U	i3-370M	2.40		2GB	14.0" HD	250G 5400	Intel 1000			Matte black			6	Pro 64	Jul 10
0578-F6U	i3-370M	2.40		4GB	14.0" HD	320G 7200	Intel 1000			Matte black			6	Pro 64	Jul 10
0578-F7U	i3-370M	2.40		4GB	14.0" HD	320G 7200	Intel 1000			Matte black	Fing	Blue	6	Pro 64	Jul 10
0578-F8U	i3-370M	2.40		4GB	14.0" HD	320G 7200	Intel 1000	Gobi 2000	AT&T ²³	Matte black	Fing	Blue	6	Pro 64	Jul 10
0578-F9U	i3-370M	2.40		4GB	14.0" HD	320G 7200	Intel 1000			Glossy red	Fing	Blue	6	Pro 64	Jul 10
0578-HTU	i3-350M	2.26		4GB	14.0" HD	250G 5400	Intel 1000			Matte black			4	Home P 64	Jul 10
0578-HUU	i3-370M	2.40		4GB	14.0" HD	250G 5400	Intel 1000			Matte black			4	Home P 64	Jul 10
0578-HVU	i3-350M	2.26		4GB	14.0" HD	320G 5400	Intel 1000			Glossy black			4	Home P 64	Jul 10
0578-HWU	i3-370M	2.40		4GB	14.0" HD	320G 5400	Intel 1000			Glossy black			4	Home P 64	Jul 10
0578-HXU	i5-450M	2.40	2.66	4GB	14.0" HD	500G 5400	Intel 1000			Glossy black	Fing	Blue	6	Pro 64	Jul 10
0578-HZU	i3-350M	2.26		4GB	14.0" HD	500G 5400	Intel 1000			Glossy black			6	Pro 64	Jul 10

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processor	Sophisticated design with quality, durability and reliability for SMB customers; two spindles Intel® Core™ i3 processor i3-350M or i3-370M with dual-core , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology; 3MB cache or Intel Core i5 processor i5-450M with dual-core , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache		Preloaded operating system ²⁰ - <i>Some:</i> Genuine Windows® 7 Home Premium 64 - <i>Some:</i> Genuine Windows 7 Professional 64 Preloaded applications ¹⁴ (only some listed) • Rescue and Recovery™ • Access Connections™ • Password Manager • ThinkVantage Power Manager • ThinkVantage System Update • ThinkVantage Toolbox • Norton™ Internet Security 2011 (30 days of virus definitions) • Adobe® Reader® • Adobe Flash® Player • Skype™ for Windows • Microsoft Office 2010 preloaded; purchase product key to activate • Microsoft Research AutoCollage Touch	
Memory	2GB or 4GB std / 8GB max ⁷ / PC3-8500 1066MHz DDR3 , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available; <i>Non-italics:</i> standard memory in one socket; one socket available			
SATA DVD±RW SATA disk	DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in 250GB ⁸ (5400 rpm), 320GB (5400 or 7200 rpm), or 500GB (5400 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™			
Widescreen display Camera	14.0" (355mm) HD (1366x768) color, VibrantView (glossy), LED backlight , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 2.0-megapixel, fixed focus			
Integrated graphics	Intel HD Graphics in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display; <i>Max external resolution:</i> 2048x1536 @ 75Hz; 1920x1080 (HDMI port)			
Keyboard TrackPoint® Touch pad	6-row, spill-resistant, multimedia Fn keys TrackPoint® pointing device, Internet Scroll Bar ¹³ UltraNav™, wide touch pad below keyboard, Tap Zones, multi-touch			
ThinkLight™	None			
Dimensions ³ Weight ² Case color	<i>14.0W"</i> (WxDxH): 13.54" x 9.17" x 1.25-1.46"; 344 x 233mm x 31.8-37.0mm <i>4-cell:</i> from 4.72 lb (2.14kg); <i>6-cell:</i> from 4.9 lb (2.22kg); <i>9-cell:</i> from 5.29 lb (2.40kg) Matte black (top), glossy black (top), or glossy red (top), trimmed with a thin silver band (side); black bottom		Supports ThinkVantage® technologies	
Case material Battery - type ³⁷ Battery - life ¹⁰	Acrylonitrile-Butadiene-Styrene (ABS) plastic Lithium Ion 4-cell or 6-cell <i>4-cell:</i> up to 2.9 hr; <i>6-cell:</i> up to 4.5 hr		65-watt AC adapter EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹² via 800-426-7378	
Chipset ExpressCard/34 Multicard Reader Ports	Mobile Intel HM55 Express Chipset One ExpressCard/34 7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H) Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)			
PCIe Mini Card Intel 1000 Gobi™ 2000	Two PCI Express Mini Card slots 11b/g/n wireless ⁴ , PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2 <i>Some:</i> Wireless WAN, Qualcomm chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS, contract required with service provider		ThinkPlus™. ²² 1-year LOR ²⁴ 9x5 NBD 45K5968	
Carrier Modem Bluetooth™ Ethernet Intel AMT Audio support	<i>Some:</i> AT&T®, contract required with service provider None <i>Some:</i> Bluetooth 2.1 wireless Realtek® RTL8111DL Gigabit Network Connection None High Definition (HD) Audio, Realtek ALC269 codec / stereo speakers, 1.5 watt x 2/ mono digital microphone, combo audio/mic jack Power-on password, hard disk password, supervisor password, security keyhole		ThinkPlus 2-year LOR 9x5 NBD 45K5969 ThinkPlus 3-year LOR 9x5 NBD 45K5970 ThinkPlus 4-year LOR 9x5 NBD 45K5973 ThinkPlus 2-year P&L P/U Depot 45K5971 ThinkPlus 3-year P&L P/U Depot 45K5972 ThinkPlus 4-year P&L P/U Depot 45K5974	
Security Security chip Fingerprint reader	None None <i>Some:</i> UPEK Fingerprint reader on palm rest, swipe sensor		Post-warranty annual maintenance agreements at lenovo.com/thinkplus/warranty	
Limited warranty ¹²	1-year - depot repair service / service upgrades ²² available			

See footnotes for important warranty information

US models announced July 6, 2010; previous models on May 4, 2010

US model withdrawn effective October 2010

© Lenovo
(BER1-2) July 2010

Type-model	Processor	GHz	Max turbo (GHz)	Memory	Wide-screen display	Screen type	Disk SATA GB ³ rpm	PCIe Mini Card 802.11	PCIe Mini Card WWAN	Carrier	Top color	Finger print reader	Blue-tooth	Preload	Avail date
0578-N6U	i3-390M	2.66		4GB	14.0" HD	Glossy	320G 7200	Intel 1000			Matte black	Fing	Blue	Pro 64	Jan 11
0578-N8U	i3-390M	2.66		2GB	14.0" HD	Glossy	250G 5400	Intel 1000			Matte black			Pro 64	Jan 11
0578-NJU	i5-480M	2.66	2.93	4GB	14.0" HD	Glossy	320G 7200	Intel 1000			Matte black	Fing	Blue	Pro 64	Jan 11
0578-P4U	i3-390M	2.66		4GB	14.0" HD	Glossy	320G 7200	Intel 1000	Gobi 2000	AT&T ²³	Glossy black	Fing	Blue	Pro 64	Jan 11
< 0578-Q2U	i3-380M	2.53		2GB	14.0" HD		250G 5400	11b/g/n			Matte black			Pro 64	Jan 11
< 0578-QLU	i3-380M	2.53		2GB	14.0" HD		250G 5400	11b/g/n			Matte black			Pro 64	Jan 11

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processor	Sophisticated design with quality, durability and reliability for SMB customers; two spindles Intel® Core™ i3 processor i3-380M or i3-390M with dual-core , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology; 3MB cache or Intel Core i5 processor i5-480M with dual-core , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache										Preloaded operating system²⁰ - Genuine Windows® 7 Professional 64 Preloaded applications¹⁴ (only some listed) • Rescue and Recovery™ • Access Connections™ • Password Manager • ThinkVantage Power Manager • ThinkVantage System Update • ThinkVantage Toolbox • Norton™ Internet Security 2011 (30 days of virus definitions) • Adobe® Reader® • Adobe Flash® Player • Skype™ for Windows • Microsoft Office 2010 preloaded; purchase product key to activate • Microsoft Research AutoCollage Touch				
Memory	2GB or 4GB std / 8GB max ⁷ / PC3-8500 1066MHz DDR3 , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available; <i>Non-italics:</i> standard memory in one socket; one socket available														
SATA DVD±RW SATA disk	DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in 250GB⁸ (5400 rpm) or 320GB (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™														
Widescreen display	<i>Some:</i> 14.0" (355mm) HD (1366x768) color , anti-glare, LED backlight , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio <i>Some:</i> 14.0" (355mm) HD (1366x768) color, VibrantView (glossy), LED backlight , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio														
Camera	Camera on top of screen, 2.0-megapixel, fixed focus														
Integrated graphics	Intel HD Graphics in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display; <i>Max external resolution:</i> 2048x1536@75Hz; 1920x1080 (HDMI port)														
Keyboard TrackPoint® Touch pad	6-row, spill-resistant, multimedia Fn keys TrackPoint® pointing device, Internet Scroll Bar ¹³ UltraNav™, wide touch pad below keyboard, Tap Zones, multi-touch														
ThinkLight™	None														
Dimensions ³ Weight ² Case color	14.0W" (WxDxH): 13.54" x 9.17" x 1.25-1.46"; 344 x 233mm x 31.8-37.0mm <i>4-cell:</i> from 4.72 lb (2.14kg); <i>6-cell:</i> from 4.9 lb (2.22kg); <i>9-cell:</i> from 5.29 lb (2.40kg) Matte black (top) or glossy black (top), trimmed with a thin silver band (side); black bottom										Supports ThinkVantage® technologies				
Case material Battery - type ³⁷ Battery - life ¹⁰	Acrylonitrile-Butadiene-Styrene (ABS) plastic Lithium Ion 6-cell <i>4-cell:</i> up to 2.9 hr; <i>6-cell:</i> up to 4.5 hr										65-watt AC adapter EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹² via 800-426-7378				
Chipset ExpressCard/34 Multicard Reader Ports	Mobile Intel HM55 Express Chipset One ExpressCard/34 7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H) Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)														
PCIe Mini Card 11b/g/n Intel 1000 Gobi™ 2000	Two PCI Express Mini Card slots <i>Some:</i> 11b/g/n wireless ⁴ , ThinkPad 11b/g/n, PCIe Half Mini Card <i>Some:</i> 11b/g/n wireless, PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2 <i>Some:</i> Wireless WAN, Qualcomm chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS, contract required with service provider										ThinkPlus™.22 1-year LOR ²⁴ 9x5 NBD 45K5968 ThinkPlus 2-year LOR 9x5 NBD 45K5969 ThinkPlus 3-year LOR 9x5 NBD 45K5970 ThinkPlus 4-year LOR 9x5 NBD 45K5973 ThinkPlus 2-year P&L P/U Depot 45K5971 ThinkPlus 3-year P&L P/U Depot 45K5972 ThinkPlus 4-year P&L P/U Depot 45K5974 Post-warranty annual maintenance agreements at lenovo.com/thinkplus/warranty				
Carrier Modem Bluetooth™ Ethernet Intel AMT Audio support	<i>Some:</i> AT&T®, contract required with service provider None <i>Some:</i> Bluetooth 2.1 wireless Realtek® RTL8111DL Gigabit Network Connection None High Definition (HD) Audio, Realtek ALC269 codec / stereo speakers, 1.5 watt x 2/ mono digital microphone, combo audio/mic jack														
Security Security chip Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole None <i>Some:</i> UPEK Fingerprint reader on palm rest, swipe sensor														
Limited warranty ¹²	1-year - depot repair service / service upgrades ²² available														

See footnotes for important warranty information

US models announced January 11, 2011

< US models withdrawn effective February 2011

Type-model	Processor	GHz	Memory	Wide-screen display	Screen type	Camera	Disk SATA GB ⁸ rpm	PCIe Mini Card 802.11	Top color	Finger print reader	Blue-tooth	Battery cells	Preload	Avail date
0199-4GU	P340	2.20	2GB	14.0" HD		0.3M	320G 7200	11b/g/n	Matte black	None	None	6	Pro 64	Sep 10
0199-4HU	P340	2.20	2GB	14.0" HD		0.3M	320G 7200	11b/g/n	Glossy red	None	None	6	Pro 64	Sep 10
0199-4JU	P540	2.40	2GB	14.0" HD		0.3M	320G 7200	11b/g/n	Matte black	None	None	6	Pro 64	Sep 10
☞ 0199-6PU	P560	2.50	2GB	14.0" HD	Glossy	0.3M	320G 7200	11b/g/n	Matte black	None	None	6	Pro 64	Mar 11
☞ 0199-6QU	P360	2.30	2GB	14.0" HD	Glossy	0.3M	320G 7200	11b/g/n	Matte black	None	None	6	Pro 64	Mar 11

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processor	Sophisticated design with quality, durability and reliability for SMB customers; two spindles AMD® Athlon™ II Dual-Core Mobile Processor P340 or P360 with dual-core , virtualization technology, integrated DDR3 memory controller, and 1MB L2 cache or AMD Turion™ II Dual-Core Mobile Processor P540 or P560 with dual-core , virtualization technology, integrated DDR3 memory controller, and 2MB L2 cache	Preloaded operating system ²⁰ - Genuine Windows® 7 Professional 64 Preloaded applications ¹⁴ (only some listed) • Rescue and Recovery™ • Access Connections™ • Password Manager • ThinkVantage Power Manager • ThinkVantage System Update • ThinkVantage Toolbox • Adobe® Reader® • Adobe Flash® Player • Skype™ for Windows • Microsoft Office 2010 preloaded; purchase product key to activate • Microsoft Research AutoCollage Touch
Memory	2GB std / 8GB max ⁷ / PC3-8500 1066MHz DDR3 , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets; <i>Non-italics:</i> standard memory in one socket; one socket available	
SATA DVD±RW SATA disk	DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in 320GB ⁸ (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™	
Widescreen display	<i>Some:</i> 14.0" (355mm) HD (1366x768) color , anti-glare, LED backlight , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio <i>Some:</i> 14.0" (355mm) HD (1366x768) color, VibrantView (glossy), LED backlight , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio	
Camera	Camera on top of screen, 0.3-megapixel, fixed focus	
Integrated graphics	ATI™ Radeon™ HD 4250 graphics , in RS880M, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display; <i>Max external resolution:</i> 2456x1536@60Hz	
Keyboard TrackPoint® Touch pad	6-row, spill-resistant, multimedia Fn keys TrackPoint® pointing device, Internet Scroll Bar ¹³ UltraNav™, wide touch pad below keyboard, Tap Zones, multi-touch	Supports ThinkVantage® technologies
ThinkLight™	None	
Dimensions ³ Weight ² Case color Case material Battery - type ³⁷ Battery - life ¹⁰	<i>14.0W" (WxDxH):</i> 13.54" x 9.17" x 1.25-1.46"; 344 x 233mm x 31.8-37.0mm <i>4-cell:</i> from 4.78 lb (2.17kg); <i>6-cell:</i> from 4.96 lb (2.25kg); <i>9-cell:</i> from 5.36 lb (2.43kg) Matte black (top) or glossy red (top), trimmed with a thin silver band (side); black bottom Acrylonitrile-Butadiene-Styrene (ABS) plastic Lithium Ion 6-cell <i>4-cell:</i> up to 2.6 hr; <i>6-cell:</i> up to 4 hr; <i>9-cell:</i> up to 6 hr	65-watt AC adapter EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹² via 800-426-7378
Chipset ExpressCard/34 Multicard Reader Ports	AMD RS880M Chipset , SB820M south bridge One ExpressCard/34 7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H) Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	ThinkPlus™.22 1-year LOR ²⁴ 9x5 NBD 45K5968 ThinkPlus 2-year LOR 9x5 NBD 45K5969 ThinkPlus 3-year LOR 9x5 NBD 45K5970
PCIe Mini Card 11b/g/n Modem Bluetooth™ Ethernet Audio support	One PCI Express Half Mini Card slot 11b/g/n wireless ⁴ , ThinkPad 11b/g/n, PCIe Half Mini Card None None Realtek® RTL8111DL Gigabit Network Connection High Definition (HD) Audio, Realtek ALC269 codec / stereo speakers, 1.5 watt x 2/ mono digital microphone, combo audio/mic jack	ThinkPlus 4-year LOR 9x5 NBD 45K5973 ThinkPlus 2-year P&L P/U Depot 45K5971 ThinkPlus 3-year P&L P/U Depot 45K5972
Security Security chip Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole None None	ThinkPlus 4-year P&L P/U Depot 45K5974
Limited warranty ¹²	1-year - depot repair service / service upgrades ²² available	Post-warranty annual maintenance agreements at lenovo.com/thinkplus/warranty

See footnotes for important warranty information

☞ US models announced March 1, 2011, previous models on September 28, 2010

© Lenovo
(BER1-5) March 2011

Memory

1GB PC3-8500 DDR3 Low-Halogen SODIMM	55Y3706	ann	06/23/09
1GB PC3-8500 DDR3 L-H SODIMM (25-Pack)	57Y4385	ann	06/23/09
2GB PC3-8500 DDR3 Low-Halogen SODIMM	55Y3707	ann	06/23/09
2GB PC3-8500 DDR3 L-H SODIMM (25-Pack)	57Y4386	ann	06/23/09
1GB PC3-10600 DDR3 L-H SODIMM	55Y3709	ann	03/02/10
1GB PC3-10600 DDR3 L-H SODIMM (25Pack)	55Y4415	ann	03/02/10
2GB PC3-10600 DDR3 L-H SODIMM	55Y3710	ann	03/02/10
2GB PC3-10600 DDR3 L-H SODIMM (25Pack)	55Y4416	ann	03/02/10
4GB PC3-10600 DDR3 L-H SODIMM	55Y3711	ann	03/02/10

Storage and removable storage

USB 2.0 Portable 320GB Hard Disk	45K1689	ann	03/17/09
USB 2.0 Portable 500GB Hard Disk	45K1690	ann	05/26/09
USB 2.0 Portable Secure 320GB Hard Disk	43R2019	ann	11/18/08
eSATA/USB 2.0 Secure 500GB Hard Drive	57Y4400	ann	01/07/10
USB 2.0 Portable DVD Burner	43N3264	ann	01/05/10

ThinkPad Expansion

Lenovo® Essential Notebook Stand	45J9292	ann	05/12/09
USB Port Replicator with Digital Video	45K1610	ann	07/28/09

Keyboard

TrackPoint Cap Collection	73P2698	ann	12/16/03
USB Numeric Keypad	33L3225	ann	05/01/00
Preferred Pro USB Keyboard	73P5220	ann	06/21/05
Enhanced Performance USB Keyboard	73P2620	ann	03/23/04
Lenovo Mini Wireless Keyboard N5901 ⁵² (blk)	57Y6336		
Ultraslim Wireless Keyboard and Mouse ⁵²	57Y4700	ann	09/15/09
⁵² Wireless via 2.4GHz technology using a micro-size USB receiver.			
ThinkPad USB Keyboard with TrackPoint	55Y9003	ann	08/18/09
Lenovo USB Fingerprint Keyboard	73P4730	ann	02/22/05
Lenovo USB Smartcard Keyboard	51J0155	ann	03/24/09

Mouse

Lenovo Optical Mouse (USB)	06P4069	ann	05/21/03
Lenovo Laser Mouse (USB)	41U3074	ann	01/23/07
ThinkPad USB Laser Mouse	57Y4635	ann	12/15/09
Lenovo ScrollPoint® Mouse (USB, Optical)	31P7405	ann	08/27/02
ThinkPad Travel Mouse (USB, Optical)	31P7410	ann	06/04/02
ThinkPad Bluetooth Laser Mouse	41U5008	ann	01/22/08
Lenovo Wireless Laser Mouse - Black ⁵²	45K1696	ann	11/25/08
Lenovo Wireless Laser Mouse - Red/Black ⁵²	51J0198	ann	11/25/08
Lenovo Optical Mouse A6010 (black)	57Y6255		
Lenovo Mini Optical Mouse M20B	55Y2091		
Lenovo Wireless Mouse N30B (black)	55Y9360		

Security

Kensington® MicroSaver® Cable Lock	73P2582	ann	12/29/03
Kensington Twin Head Cable Lock	45K1620	ann	09/30/08
Lenovo Security Cable Lock	57Y4303	ann	08/24/10
USB Gemplus GemPC Smart Card Reader	41N3040	ann	02/21/06

Multimedia

ThinkPad In-Ear Headphones with mic	57Y4488	ann	01/07/10
Lenovo Mini Speakers M220	55Y2033	ann	01/07/10
Lenovo Headphone P550	55Y2065		

Modem

USB 2.0 Lenovo Modem	43R1814	ann	02/26/08
----------------------	---------	-----	----------

Batteries³⁷

ThinkPad Battery 25 (4-cell)	51J0498	ann	10/22/09
ThinkPad Battery 25+ (6-cell)	51J0499	ann	10/22/09
ThinkPad Battery 25++ (9-cell)	51J0500	ann	10/22/09
ThinkPad External Battery Charger ⁴⁴	40Y7625	ann	09/20/05

⁴⁴ Requires the *ThinkPad 90W AC Adapter*

40Y7659 or the adapter provided with the system.

More information at www.lenovo.com/alldaycomputing

ThinkPad 65W AC Adapter ⁴⁵	40Y7696	ann	01/05/06
---------------------------------------	---------	-----	----------

⁴⁵ Only compatible with the integrated graphics models.

ThinkPad 90W AC Adapter	40Y7659	ann	09/20/05
ThinkPad 65W AC Adapter with USB Hub	57Y4600	ann	09/07/10
90W Ultraslim AC/DC Combo Adapter	41R4493	ann	09/22/09

More info at www.lenovo.com/support/poweradapters*Charging tips for 90W Ultraslim AC/DC Combo Adapter 41R4493*

• iPod and iPhone Charge Tip (L10a)	41R4481	ann	12/18/07
• Generic Micro USB charge tip (L18)	41R4490	ann	01/06/09

More information at www.lenovopowertips.com**Carrying Cases**

ThinkPad 14W Case Sleeve	57Y4294	ann	03/16/10
Lenovo Business Messenger Case	51J0475	ann	08/18/09
Lenovo Messenger Max	41U5253	ann	05/01/07
Lenovo Performance Backpack	41U5254	ann	05/01/07
ThinkPad Business Topload Case	43R2476	ann	05/13/08
ThinkPad Business Backpack	43R2482	ann	05/13/08
ThinkPad Deluxe Expander Case	43R2478	ann	05/13/08
ThinkPad Executive Leather Case	43R2480	ann	05/13/08

More information at www.lenovo.com/support/cases**Monitors**

Lenovo L2230x Wide 21.5" Monitor	5453HB1	ann	06/10/10
ThinkVision® L1711p 17" Monitor	5047HB2	ann	10/20/09
ThinkVision L1900p 19" Monitor	4431HE1	ann	11/11/08
ThinkVision L1951p Wide 19" Monitor	2448HB6	ann	10/20/09
ThinkVision L2250p Wide 22" Monitor	2572HB6	ann	10/20/09
ThinkVision L2251p Wide 22" Monitor	2572HD6	ann	10/20/09
ThinkVision L2251x Wide 22" Monitor	2578HB6	ann	10/20/09
ThinkVision L2321x Wide 23" Monitor	4014HB6	ann	06/10/10
ThinkVision L2440p Wide 24" Monitor	4420HB2	ann	09/17/08

Monitor Accessories⁴⁶

Lenovo USB-to-DVI Monitor Adapter	45K5296	ann	05/12/09
ThinkVision USB Soundbar	40Y7616	ann	08/23/05
ThinkVision Soundbar	45K1263	ann	09/16/08
Kensington MicroSaver Cable Lock	73P2582	ann	12/29/03
Kensington Twin Head Cable Lock	45K1620	ann	09/30/08
Lenovo Security Cable Lock	57Y4303	ann	08/24/10
Lenovo Easy Reach Monitor Stand	55Y9258	ann	09/22/09

⁴⁶ Compatible on selected Lenovo and ThinkVision monitors.More information at www.lenovo.com/support/monitoraccessories

For more information on ThinkPad accessories, please visit:

www.lenovo.com/support/accessories
www.lenovo.com/support/notebookaccessories
www.lenovo.com/support/security

Other accessories at www.lenovo.com/accessoriesAccessories Guide pdf at www.lenovo.com/accessoriesguide

ThinkPad®



Lenovo® ThinkPad Edge 15"



Lenovo ThinkPad Edge 15"
(Glossy black model)



Lenovo ThinkPad Edge 15"



Lenovo ThinkPad Edge 15"
(Glossy red model)



Lenovo ThinkPad Edge 15"

	Type-model	Proc- essor	GHz	Memory	Wide- screen display	Screen type	Disk SATA GB ³ rpm	PCIe Mini Card 802.11	PCIe Mini Card WWAN	Carrier	Top color	Finger print reader	Bat- tery tooth cells	Preload	Avail date	
☞	0301-23U	i3-350M	2.26	4GB	15.6" HD	Glossy	320G 7200	Intel 6200 ²⁸			Matte black		6	Pro 64	Mar 10	
☞	0301-25U	i3-330M	2.13	4GB	15.6" HD	Glossy	250G 5400	11b/g/n			Matte black		4	Home P	Mar 10	
☞	0301-26U	i3-330M	2.13	2GB	15.6" HD		250G 5400	Intel 1000			Glossy black		6	Pro 32	Mar 10	
☞	0301-27U	i3-330M	2.13	2GB	15.6" HD		320G 7200	Intel 1000	Gobi 2000	AT&T ²³	Glossy black	Blue	6	Pro 32	Mar 10	
☞	0301-29U	i3-330M	2.13	2GB	15.6" HD	Glossy	250G 5400	Intel 1000			Glossy black		6	Home P	Mar 10	
☞	0301-2AU	i3-330M	2.13	4GB	15.6" HD		250G 5400	Intel 1000	Gobi 2000	AT&T	Glossy black	Blue	6	Pro 64	Mar 10	
☞	0301-2BU	i3-330M	2.13	4GB	15.6" HD		250G 5400	Intel 1000	Gobi 2000	Verizon ¹⁶	Glossy black	Blue	6	Pro 64	Mar 10	
☞	0301-5PU	i3-330M	2.13	2GB	15.6" HD		320G 7200	Intel 1000	Gobi 2000	Verizon	Glossy black	Finger	Blue	6	Pro 32	Mar 10
☞	0301-5QU	i3-330M	2.13	2GB	15.6" HD		250G 5400	Intel 1000			Glossy red	Blue	6	Pro 32	Mar 10	
☞	0301-5RU	i3-330M	2.13	3GB	15.6" HD		320G 7200	Intel 1000			Glossy red	Blue	6	Home P	Mar 10	
☞	0301-5SU	i3-330M	2.13	4GB	15.6" HD		320G 7200	Intel 1000			Glossy black	Finger	Blue	6	Pro 64	Mar 10

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processor	Sophisticated design with quality, durability and reliability for SMB customers; two spindles Intel® Core™ i3 processor i3-330M or i3-350M with dual-core , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology; 3MB cache		Preloaded operating system ²⁰ - <i>Some:</i> Genuine Windows® 7 Home Premium 64 - <i>Some:</i> Genuine Windows 7 Professional 32 - <i>Some:</i> Genuine Windows 7 Professional 64 Preloaded applications ¹⁴ (only some listed) • Rescue and Recovery™ • Access Connections™ • Password Manager • ThinkVantage Power Manager • ThinkVantage System Update • ThinkVantage Toolbox • Lenovo Online Data Backup • Norton™ Internet Security 2011 (30 days of virus definitions) • Adobe® Reader® • Adobe Flash® Player • Skype™ for Windows • Microsoft Office 2010 preloaded; purchase product key to activate • Microsoft Research AutoCollage Touch
Memory	2GB, 3GB, or 4GB std / 8GB max ⁷ / PC3-8500 1066MHz DDR3 , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available; <i>Non-italics:</i> standard memory in one socket; one socket available		
SATA DVD±RW SATA disk	DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in 250GB ⁸ (5400 rpm) or 320GB (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™		
Widescreen display	<i>Some:</i> 15.6" (395mm) HD (1366x768) color , anti-glare, LED backlight , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio <i>Some:</i> 15.6" (395mm) HD (1366x768) color, VibrantView (glossy), LED backlight , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio		
Camera	Camera on top of screen, 2.0-megapixel, fixed focus		
Integrated graphics	Intel HD Graphics in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display; <i>Max external resolution:</i> 2048x1536@75Hz; 1920x1080 (HDMI port)		Supports ThinkVantage® technologies 65-watt AC adapter EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹² via 800-426-7378 ThinkPlus™. ²² 1-year LOR ²⁴ 9x5 NBD 45K5968 ThinkPlus 2-year LOR 9x5 NBD 45K5969 ThinkPlus 3-year LOR 9x5 NBD 45K5970 ThinkPlus 4-year LOR 9x5 NBD 45K5973 ThinkPlus 2-year P&L P/U Depot 45K5971 ThinkPlus 3-year P&L P/U Depot 45K5972 ThinkPlus 4-year P&L P/U Depot 45K5974 Post-warranty annual maintenance agreements at lenovo.com/thinkplus/warranty
Keyboard TrackPoint® Touch pad	6-row, spill-resistant, multimedia Fn keys TrackPoint® pointing device, Internet Scroll Bar ¹³ UltraNav™, wide touch pad below keyboard, Tap Zones, multi-touch		
ThinkLight™	None		
Dimensions ³ Weight ² Case color	15.6W" (WxDxH): 14.96" x 9.72" x 1.27-1.48"; 380 x 247mm x 32.3-37.5mm <i>4-cell:</i> from 5.32 lb (2.42kg); <i>6-cell:</i> from 5.50 lb (2.50kg); <i>9-cell:</i> from 5.89 lb (2.67kg) Matte black (top), glossy black (top), or glossy red (top), trimmed with a thin silver band (side); black bottom		
Case material Battery - type ³⁷ Battery - life ¹⁰	Acrylonitrile-Butadiene-Styrene (ABS) plastic Lithium Ion 4-cell or 6-cell <i>4-cell:</i> up to 2.9 hr; <i>6-cell:</i> up to 4.5 hr		
Chipset ExpressCard/34 Multicard Reader Ports	Mobile Intel HM55 Express Chipset One ExpressCard/34 7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H) Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)		
PCIe Mini Card 11b/g/n Intel 1000 Intel 6200 ²⁸ Gobi™ 2000	Two PCI Express Mini Card slots <i>Some:</i> 11b/g/n wireless ⁴ , ThinkPad 11b/g/n, PCIe Half Mini Card <i>Some:</i> 11b/g/n wireless, PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2 <i>Some:</i> 11a/b/g/n wireless, PCIe Half Mini Card, Intel Centrino Advanced-N 6200, 2x2 <i>Some:</i> Wireless WAN, Qualcomm chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS, contract required with service provider		
Carrier Modem Bluetooth™ Ethernet Intel AMT Audio support	<i>Some:</i> AT&T® or Verizon®, contract required with service provider None <i>Some:</i> Bluetooth 2.1 wireless Realtek® RTL8111DL Gigabit Network Connection None High Definition (HD) Audio, Realtek ALC269 codec / stereo speakers, 1.5 watt x 2/ mono digital microphone, combo audio/mic jack		
Security Security chip Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole None <i>Some:</i> UPEK Fingerprint reader on palm rest, swipe sensor		
Limited warranty ¹²	1-year - depot repair service / service upgrades ²² available		

See footnotes for important warranty information
US models announced March 23, 2010

< US models withdrawn effective August 2010

© Lenovo
(LDN1-1) March 2010

Personal Systems Reference (PSREF)

- **These small and medium business (SMB) models are part of the US TopSeller™ Program**
- **These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)**

See footnotes for important warranty information
 US models announced May 4, 2010; previous models on April 6 or April 13, 2010
 US models withdrawn effective August 2010

© Lenovo
 (LDN1-2) May 2010

ThinkPad® Edge 15" 0301 (Intel) - TopSeller (Windows 7) - July 2010

Personal Systems Reference (PSREF)

Type-model	Processor	GHz	Max turbo (GHz)	Memory	Wide-screen display	Screen type	Disk SATA GB ⁸ rpm	PCIe Mini Card 802.11	PCIe Mini Card WWAN	Carrier	Top color	Finger print reader	Blue-tooth	Battery cells	Preload	Avail date
0301-DBU	i3-370M	2.40		2GB	15.6" HD		250G 5400	Intel 1000			Matte black			6	Pro 64	Jul 10
0301-DCU	i3-370M	2.40		4GB	15.6" HD		320G 7200	Intel 1000			Matte black	Fing	Blue	6	Pro 64	Jul 10
0301-DDU	i3-370M	2.40		4GB	15.6" HD		320G 7200	Intel 1000	Gobi 2000	AT&T ²³	Matte black	Fing	Blue	6	Pro 64	Jul 10
0301-DEU	i3-370M	2.40		4GB	15.6" HD		320G 7200	Intel 1000			Glossy red	Fing	Blue	6	Pro 64	Jul 10
0301-ECU	i3-370M	2.40		4GB	15.6" HD	Glossy	250G 5400	Intel 1000			Matte black			4	Home P	Jul 10
0301-EDU	i3-370M	2.40		4GB	15.6" HD		500G 7200	Intel 1000			Glossy black	Fing	Blue	6	Pro 64	Jul 10
0301-EEU	i3-350M	2.26		4GB	15.6" HD		500G 7200	Intel 1000			Glossy black	Fing	Blue	6	Pro 64	Jul 10
0301-EFU	i3-370M	2.40		2GB	15.6" HD		250G 5400	Intel 1000			Glossy black			6	Home P	Jul 10
0301-EGU	i3-370M	2.40		3GB	15.6" HD		320G 7200	Intel 1000			Glossy red		Blue	6	Home P	Jul 10
0301-EHU	i5-450M	2.40	2.66	4GB	15.6" HD		500G 5400	Intel 1000			Glossy black	Fing	Blue	6	Pro 64	Jul 10
0301-EJU	i5-450M	2.40	2.66	4GB	15.6" HD		500G 7200	Intel 1000			Glossy black	Fing	Blue	6	Pro 64	Jul 10
0301-EMU	i3-350M	2.26		2GB	15.6" HD		250G 5400	Intel 1000	Gobi 2000	AT&T	Glossy black			6	Pro 32	Jul 10

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processor	Sophisticated design with quality, durability and reliability for SMB customers; two spindles Intel® Core™ i3 processor i3-350M or i3-370M with dual-core , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology; 3MB cache or Intel Core i5 processor i5-450M with dual-core , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache	Preloaded operating system ²⁰ - <i>Some:</i> Genuine Windows® 7 Home Premium 64 - <i>Some:</i> Genuine Windows 7 Professional 32 - <i>Some:</i> Genuine Windows 7 Professional 64 Preloaded applications ¹⁴ (only some listed) • Rescue and Recovery™ • Access Connections™ • Password Manager • ThinkVantage Power Manager • ThinkVantage System Update • ThinkVantage Toolbox • Norton™ Internet Security 2011 (30 days of virus definitions) • Adobe® Reader® • Adobe Flash® Player • Skype™ for Windows • Microsoft Office 2010 preloaded; purchase product key to activate • Microsoft Research AutoCollage Touch
Memory	2GB, 3GB, or 4GB std / 8GB max ⁷ / PC3-8500 1066MHz DDR3 , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available; <i>Non-italics:</i> standard memory in one socket; one socket available	
SATA DVD±RW SATA disk	DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in 250GB ⁸ (5400 rpm), 320GB (7200 rpm), or 500GB (5400 or 7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™	
Widescreen display	<i>Some:</i> 15.6" (395mm) HD (1366x768) color , anti-glare, LED backlight , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio <i>Some:</i> 15.6" (395mm) HD (1366x768) color, VibrantView (glossy), LED backlight , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio	
Camera	Camera on top of screen, 2.0-megapixel, fixed focus	
Integrated graphics	Intel HD Graphics in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display; <i>Max external resolution:</i> 2048x1536@75Hz; 1920x1080 (HDMI port)	
Keyboard TrackPoint® Touch pad	6-row, spill-resistant, multimedia Fn keys TrackPoint® pointing device, Internet Scroll Bar ¹³ UltraNav™, wide touch pad below keyboard, Tap Zones, multi-touch	
ThinkLight™	None	
Dimensions ³ Weight ² Case color	15.6W" (WxDxH): 14.96" x 9.72" x 1.27-1.48"; 380 x 247mm x 32.3-37.5mm <i>4-cell:</i> from 5.32 lb (2.42kg); <i>6-cell:</i> from 5.50 lb (2.50kg); <i>9-cell:</i> from 5.89 lb (2.67kg) Matte black (top), glossy black (top), or glossy red (top), trimmed with a thin silver band (side); black bottom	Supports ThinkVantage® technologies
Case material Battery - type ³⁷ Battery - life ¹⁰	Acrylonitrile-Butadiene-Styrene (ABS) plastic Lithium Ion 4-cell or 6-cell <i>4-cell:</i> up to 2.9 hr; <i>6-cell:</i> up to 4.5 hr	65-watt AC adapter EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹² via 800-426-7378
Chipset ExpressCard/34 Multicard Reader Ports	Mobile Intel HM55 Express Chipset One ExpressCard/34 7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H) Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)	
PCIe Mini Card Intel 1000 Gobi™ 2000	Two PCI Express Mini Card slots 11b/g/n wireless ⁴ , PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2 <i>Some:</i> Wireless WAN, Qualcomm chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS, contract required with service provider	ThinkPlus™, 22 1-year LOR ²⁴ 9x5 NBD 45K5968
Carrier Modem	<i>Some:</i> AT&T®, contract required with service provider None	ThinkPlus 2-year LOR 9x5 NBD 45K5969
Bluetooth™ Ethernet Intel AMT Audio support	<i>Some:</i> Bluetooth 2.1 wireless Realtek® RTL8111DL Gigabit Network Connection None High Definition (HD) Audio, Realtek ALC269 codec / stereo speakers, 1.5 watt x 2/ mono digital microphone, combo audio/mic jack Power-on password, hard disk password, supervisor password, security keyhole	ThinkPlus 3-year LOR 9x5 NBD 45K5970
Security Security chip Fingerprint reader	None None <i>Some:</i> UPEK Fingerprint reader on palm rest, swipe sensor	ThinkPlus 4-year LOR 9x5 NBD 45K5973
Limited warranty ¹²	1-year - depot repair service / service upgrades ²² available	ThinkPlus 2-year P&L P/U Depot 45K5971
		ThinkPlus 3-year P&L P/U Depot 45K5972
		ThinkPlus 4-year P&L P/U Depot 45K5974
		Post-warranty annual maintenance agreements at lenovo.com/thinkplus/warranty

See footnotes for important warranty information

US models announced July 6, 2010

0301 US model withdrawn effective October 2010

© Lenovo
(LDN1-5) July 2010

Type-model	Processor	GHz	Max turbo (GHz)	Memory	Wide-screen display	Disk SATA GB ³ rpm	PCIe Mini Card 802.11	PCIe Mini Card WWAN	Carrier	Top color	Finger print reader	Blue-tooth	Bat-tery cells	Preload	Avail date
0301-JDU	i5-480M	2.66	2.93	<i>4GB</i>	15.6" HD	320G 7200	Intel 1000	None	None	Matte black	Fing	Blue	6	Pro 64	Jan 11
0301-JAU	i3-390M	2.66		<i>4GB</i>	15.6" HD	320G 7200	Intel 1000	None	None	Matte black	Fing	Blue	6	Pro 64	Jan 11
0301-J9U	i3-390M	2.66		2GB	15.6" HD	250G 5400	Intel 1000	None	None	Matte black			6	Pro 64	Jan 11
0301-K3U	i3-390M	2.66		4GB	15.6" HD	500G 5400	Intel 1000	None	None	Matte black			6	Home P	Jan 11
0301-Q2U	i3-380M	2.53		2GB	15.6" HD	250G 5400	11b/g/n	None	None	Matte black			6	Pro 64	Jan 11

- *These small and medium business (SMB) models are part of the US TopSeller™ Program*
- *These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)*

Positioning Processor	Sophisticated design with quality, durability and reliability for SMB customers; two spindles Intel® Core™ i3 processor i3-380M or i3-390M with dual-core , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology; 3MB cache or Intel Core i5 processor i5-480M with dual-core , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache		Preloaded operating system ²⁰ - <i>Some:</i> Genuine Windows® 7 Home Premium 64 - <i>Some:</i> Genuine Windows 7 Professional 64 Preloaded applications ¹⁴ (only some listed) • Rescue and Recovery™ • Access Connections™ • Password Manager • ThinkVantage Power Manager • ThinkVantage System Update • ThinkVantage Toolbox • Norton™ Internet Security 2011 (30 days of virus definitions) • Adobe® Reader® • Adobe Flash® Player • Skype™ for Windows • Microsoft Office 2010 preloaded; purchase product key to activate • Microsoft Research AutoCollage Touch	
Memory	2GB or 4GB std / 8GB max ⁷ / PC3-8500 1066MHz DDR3 , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available; <i>Non-italics:</i> standard memory in one socket; one socket available		Supports ThinkVantage® technologies 65-watt AC adapter EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹² via 800-426-7378 ThinkPlus™. ²² 1-year LOR ²⁴ 9x5 NBD 45K5968 ThinkPlus 2-year LOR 9x5 NBD 45K5969 ThinkPlus 3-year LOR 9x5 NBD 45K5970 ThinkPlus 4-year LOR 9x5 NBD 45K5973 ThinkPlus 2-year P&L P/U Depot 45K5971 ThinkPlus 3-year P&L P/U Depot 45K5972 ThinkPlus 4-year P&L P/U Depot 45K5974 Post-warranty annual maintenance agreements at lenovo.com/thinkplus/warranty	
SATA DVD±RW SATA disk	DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in 250GB ⁸ (5400 rpm), 320GB (7200 rpm), or 500GB (5400 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™			
Widescreen display	15.6" (395mm) HD (1366x768) color , anti-glare, LED backlight , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio			
Camera	Camera on top of screen, 2.0-megapixel, fixed focus			
Integrated graphics	Intel HD Graphics in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display; <i>Max external resolution:</i> 2048x1536@75Hz; 1920x1080 (HDMI port)			
Keyboard	6-row, spill-resistant, multimedia Fn keys			
TrackPoint®	TrackPoint® pointing device, Internet Scroll Bar ¹³			
Touch pad	UltraNav™, wide touch pad below keyboard, Tap Zones, multi-touch			
ThinkLight™	None			
Dimensions ³	15.6W" (WxDxH): 14.96" x 9.72" x 1.27-1.48"; 380 x 247mm x 32.3-37.5mm			
Weight ²	<i>4-cell:</i> from 5.32 lb (2.42kg); <i>6-cell:</i> from 5.50 lb (2.50kg); <i>9-cell:</i> from 5.89 lb (2.67kg)			
Case color	Matte black (top), trimmed with a thin silver band (side); black bottom			
Case material	Acrylonitrile-Butadiene-Styrene (ABS) plastic			
Battery - type ³⁷	Lithium Ion 6-cell			
Battery - life ¹⁰	<i>4-cell:</i> up to 2.9 hr; <i>6-cell:</i> up to 4.5 hr			
Chipset	Mobile Intel HM55 Express Chipset			
ExpressCard/34	One ExpressCard/34			
Multicard Reader	7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H)			
Ports	Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)			
PCIe Mini Card	Two PCI Express Mini Card slots			
11b/g/n	<i>Some:</i> 11b/g/n wireless ⁴ , ThinkPad 11b/g/n, PCIe Half Mini Card			
Intel 1000	<i>Some:</i> 11b/g/n wireless ⁴ , PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2			
WWAN upg	None			
Modem	None			
Bluetooth™	<i>Some:</i> Bluetooth 2.1 wireless			
Ethernet	Realtek® RTL8111DL Gigabit Network Connection			
Intel AMT	None			
Audio support	High Definition (HD) Audio, Realtek ALC269 codec / stereo speakers, 1.5 watt x 2/ mono digital microphone, combo audio/mic jack			
Security	Power-on password, hard disk password, supervisor password, security keyhole			
Security chip	None			
Fingerprint reader	<i>Some:</i> UPEK Fingerprint reader on palm rest, swipe sensor			
Limited warranty ¹²	1-year - depot repair service / service upgrades ²² available			

See footnotes for important warranty information
US models announced January 11, 2011

© Lenovo
(LDN1-7) January 2011

Type-model	Proc- essor	GHz	Memory	Wide- screen display	Screen type	Camera	Disk SATA GB ⁸ rpm	PCIe Mini Card 802.11	Top color	Finger print reader	Blue- tooth	Bat- tery cells	Preload	Avail date
0302-44U	P340	2.20	2GB	15.6" HD		2.0M	320G 7200	11b/g/n	Matte black	None	None	6	Pro 64	Sep 10
0302-45U	P540	2.40	2GB	15.6" HD		2.0M	320G 7200	11b/g/n	Matte black	None	None	6	Pro 64	Sep 10
0302-4LU	P840	1.90	4GB	15.6" HD	Glossy	0.3M	500G 5400	11b/g/n	Glossy black	None	None	6	Home P	Jan 11
0302-54U	P560	2.50	2GB	15.6" HD		2.0M	320G 7200	11b/g/n	Matte black	None	None	6	Pro 64	Mar 11
0302-55U	P360	2.30	2GB	15.6" HD		2.0M	320G 7200	11b/g/n	Matte black	None	None	6	Pro 64	Mar 11

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processor	Sophisticated design with quality, durability and reliability for SMB customers; two spindles AMD® Athlon™ II Dual-Core Mobile Processor P340 or P360 with dual-core , virtualization technology, integrated DDR3 memory controller, and 1MB L2 cache or AMD Turion™ II Dual-Core Mobile Processor P540 or P560 with dual-core , virtualization technology, integrated DDR3 memory controller, and 2MB L2 cache or AMD Phenom™ II Triple-Core Mobile Processor P840 with triple-core , virtualization technology, integrated DDR3 memory controller, and 1.5MB L2 cache		Preloaded operating system ²⁰ - <i>Some:</i> Genuine Windows® 7 Home Premium 64 - <i>Some:</i> Genuine Windows 7 Professional 64 Preloaded applications ¹⁴ (only some listed) • Rescue and Recovery™ • Access Connections™ • Password Manager • ThinkVantage Power Manager • ThinkVantage System Update • ThinkVantage Toolbox • Adobe® Reader® • Adobe Flash® Player • Skype™ for Windows • Microsoft Office 2010 preloaded; purchase product key to activate • Microsoft Research AutoCollage Touch
Memory	2GB or 4GB std / 8GB max ⁷ / PC3-8500 1066MHz DDR3 , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets; <i>Non-italics:</i> standard memory in one socket; one socket available		
SATA DVD±RW SATA disk	DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in 320GB⁸ (7200 rpm) or 500GB (5400 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™		
Widescreen display	<i>Some:</i> 15.6" (395mm) HD (1366x768) color , anti-glare, LED backlight , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio <i>Some:</i> 15.6" (395mm) HD (1366x768) color, VibrantView (glossy), LED backlight , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio		
Camera	Camera on top of screen, 0.3-megapixel or 2.0-megapixel, fixed focus		
Integrated graphics	ATI™ Radeon™ HD 4250 graphics , in RS880M, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display; <i>Max external resolution:</i> 2456x1536@60Hz		
Keyboard TrackPoint® Touch pad	6-row, spill-resistant, multimedia Fn keys TrackPoint® pointing device, Internet Scroll Bar ¹³ UltraNav™, wide touch pad below keyboard, Tap Zones, multi-touch		Supports ThinkVantage® technologies
ThinkLight™	None		
Dimensions ³ Weight ² Case color	15.6W" (WxDxH): 14.96" x 9.72" x 1.27-1.48"; 380 x 247mm x 32.3-37.5mm <i>4-cell:</i> from 5.40 lb (2.45kg); <i>6-cell:</i> from 5.58 lb (2.53kg); <i>9-cell:</i> from 5.95 lb (2.70kg) Matte black (top) or glossy black (top), trimmed with a thin silver band (side); black bottom		65-watt AC adapter EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹² via 800-426-7378
Case material	Acrylonitrile-Butadiene-Styrene (ABS) plastic		
Battery - type ³⁷ Battery - life ¹⁰	Lithium Ion 6-cell <i>4-cell:</i> up to 2.6 hr; <i>6-cell:</i> up to 4 hr; <i>9-cell:</i> up to 6 hr		
Chipset ExpressCard/34 Multicard Reader Ports	AMD RS880M Chipset , SB820M south bridge One ExpressCard/34 7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H) Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)		ThinkPlus™. ²² 1-year LOR ²⁴ 9x5 NBD 45K5968 ThinkPlus 2-year LOR 9x5 NBD 45K5969 ThinkPlus 3-year LOR 9x5 NBD 45K5970 ThinkPlus 4-year LOR 9x5 NBD 45K5973 ThinkPlus 2-year P&L P/U Depot 45K5971 ThinkPlus 3-year P&L P/U Depot 45K5972 ThinkPlus 4-year P&L P/U Depot 45K5974
PCIe Mini Card 11b/g/n Modem Bluetooth™ Ethernet Audio support	One PCI Express Half Mini Card slot 11b/g/n wireless ⁴ , ThinkPad 11b/g/n, PCIe Half Mini Card None None Realtek® RTL8111DL Gigabit Network Connection High Definition (HD) Audio, Realtek ALC269 codec / stereo speakers, 1.5 watt x 2/ mono digital microphone, combo audio/mic jack		
Security Security chip Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole None None		
Limited warranty ¹²	1-year - depot repair service / service upgrades ²² available		Post-warranty annual maintenance agreements at lenovo.com/thinkplus/warranty

See footnotes for important warranty information

US models announced March 1, 2011; previous models on September 28, 2010 or January 11, 2011

 © Lenovo
 (LDN1-6) March 2011

Memory

1GB PC3-8500 DDR3 Low-Halogen SODIMM	55Y3706	ann	06/23/09
1GB PC3-8500 DDR3 L-H SODIMM (25-Pack)	57Y4385	ann	06/23/09
2GB PC3-8500 DDR3 Low-Halogen SODIMM	55Y3707	ann	06/23/09
2GB PC3-8500 DDR3 L-H SODIMM (25-Pack)	57Y4386	ann	06/23/09
1GB PC3-10600 DDR3 L-H SODIMM	55Y3709	ann	03/02/10
1GB PC3-10600 DDR3 L-H SODIMM (25Pack)	55Y4415	ann	03/02/10
2GB PC3-10600 DDR3 L-H SODIMM	55Y3710	ann	03/02/10
2GB PC3-10600 DDR3 L-H SODIMM (25Pack)	55Y4416	ann	03/02/10
4GB PC3-10600 DDR3 L-H SODIMM	55Y3711	ann	03/02/10

Storage and removable storage

USB 2.0 Portable 320GB Hard Disk	45K1689	ann	03/17/09
USB 2.0 Portable 500GB Hard Disk	45K1690	ann	05/26/09
USB 2.0 Portable Secure 320GB Hard Disk	43R2019	ann	11/18/08
eSATA/USB 2.0 Secure 500GB Hard Drive	57Y4400	ann	01/07/10
USB 2.0 Portable DVD Burner	43N3264	ann	01/05/10

ThinkPad Expansion

Lenovo® Essential Notebook Stand	45J9292	ann	05/12/09
USB Port Replicator with Digital Video	45K1610	ann	07/28/09

Keyboard

TrackPoint Cap Collection	73P2698	ann	12/16/03
USB Numeric Keypad	33L3225	ann	05/01/00
Preferred Pro USB Keyboard	73P5220	ann	06/21/05
Enhanced Performance USB Keyboard	73P2620	ann	03/23/04
Lenovo Mini Wireless Keyboard N5901 ⁵² (blk)	57Y6336		
Ultraslim Wireless Keyboard and Mouse ⁵²	57Y4700	ann	09/15/09
⁵² Wireless via 2.4GHz technology using a micro-size USB receiver.			
ThinkPad USB Keyboard with TrackPoint	55Y9003	ann	08/18/09
Lenovo USB Fingerprint Keyboard	73P4730	ann	02/22/05
Lenovo USB Smartcard Keyboard	51J0155	ann	03/24/09

Mouse

Lenovo Optical Mouse (USB)	06P4069	ann	05/21/03
Lenovo Laser Mouse (USB)	41U3074	ann	01/23/07
ThinkPad USB Laser Mouse	57Y4635	ann	12/15/09
Lenovo ScrollPoint® Mouse (USB, Optical)	31P7405	ann	08/27/02
ThinkPad Travel Mouse (USB, Optical)	31P7410	ann	06/04/02
ThinkPad Bluetooth Laser Mouse	41U5008	ann	01/22/08
Lenovo Wireless Laser Mouse - Black ⁵²	45K1696	ann	11/25/08
Lenovo Wireless Laser Mouse - Red/Black ⁵²	51J0198	ann	11/25/08
Lenovo Optical Mouse A6010 (black)	57Y6255		
Lenovo Mini Optical Mouse M20B	55Y2091		
Lenovo Wireless Mouse N30B (black)	55Y9360		

Security

Kensington® MicroSaver® Cable Lock	73P2582	ann	12/29/03
Kensington Twin Head Cable Lock	45K1620	ann	09/30/08
Lenovo Security Cable Lock	57Y4303	ann	08/24/10
USB Gemplus GemPC Smart Card Reader	41N3040	ann	02/21/06

Multimedia

ThinkPad In-Ear Headphones with mic	57Y4488	ann	01/07/10
Lenovo Mini Speakers M220	55Y2033	ann	01/07/10
Lenovo Headphone P550	55Y2065		

Modem

USB 2.0 Lenovo Modem	43R1814	ann	02/26/08
----------------------	---------	-----	----------

Batteries³⁷

ThinkPad Battery 25 (4-cell)	51J0498	ann	10/22/09
ThinkPad Battery 25+ (6-cell)	51J0499	ann	10/22/09
ThinkPad Battery 25++ (9-cell)	51J0500	ann	10/22/09
ThinkPad External Battery Charger ⁴⁴	40Y7625	ann	09/20/05

⁴⁴ Requires the *ThinkPad 90W AC Adapter*

40Y7659 or the adapter provided with the system.

More information at www.lenovo.com/alldaycomputing

ThinkPad 65W AC Adapter ⁴⁵	40Y7696	ann	01/05/06
⁴⁵ Only compatible with the integrated graphics models.			

ThinkPad 90W AC Adapter	40Y7659	ann	09/20/05
-------------------------	---------	-----	----------

ThinkPad 65W AC Adapter with USB Hub	57Y4600	ann	09/07/10
--------------------------------------	---------	-----	----------

90W Ultraslim AC/DC Combo Adapter	41R4493	ann	09/22/09
-----------------------------------	---------	-----	----------

More info at www.lenovo.com/support/poweradapters*Charging tips for 90W Ultraslim AC/DC Combo Adapter 41R4493*

• iPod and iPhone Charge Tip (L10a)	41R4481	ann	12/18/07
• Generic Micro USB charge tip (L18)	41R4490	ann	01/06/09

More information at www.lenovopowertips.com**Carrying Cases**

ThinkPad 15W Case Sleeve	51J0477	ann	08/18/09
Lenovo Business Messenger Case	51J0475	ann	08/18/09
Lenovo Messenger Max	41U5253	ann	05/01/07
Lenovo Performance Backpack	41U5254	ann	05/01/07
ThinkPad Business Topload Case	43R2476	ann	05/13/08
ThinkPad Business Backpack	43R2482	ann	05/13/08
ThinkPad Deluxe Expander Case	43R2478	ann	05/13/08
ThinkPad Executive Leather Case	43R2480	ann	05/13/08

More information at www.lenovo.com/support/cases**Monitors**

Lenovo L2230x Wide 21.5" Monitor	5453HB1	ann	06/10/10
ThinkVision® L1711p 17" Monitor	5047HB2	ann	10/20/09
ThinkVision L1900p 19" Monitor	4431HE1	ann	11/11/08
ThinkVision L1951p Wide 19" Monitor	2448HB6	ann	10/20/09
ThinkVision L2250p Wide 22" Monitor	2572HB6	ann	10/20/09
ThinkVision L2251p Wide 22" Monitor	2572HD6	ann	10/20/09
ThinkVision L2251x Wide 22" Monitor	2578HB6	ann	10/20/09
ThinkVision L2321x Wide 23" Monitor	4014HB6	ann	06/10/10
ThinkVision L2440p Wide 24" Monitor	4420HB2	ann	09/17/08

Monitor Accessories⁴⁶

Lenovo USB-to-DVI Monitor Adapter	45K5296	ann	05/12/09
ThinkVision USB Soundbar	40Y7616	ann	08/23/05
ThinkVision Soundbar	45K1263	ann	09/16/08
Kensington MicroSaver Cable Lock	73P2582	ann	12/29/03
Kensington Twin Head Cable Lock	45K1620	ann	09/30/08
Lenovo Security Cable Lock	57Y4303	ann	08/24/10
Lenovo Easy Reach Monitor Stand	55Y9258	ann	09/22/09

⁴⁶ Compatible on selected Lenovo and ThinkVision monitors.More information at www.lenovo.com/support/monitoraccessories

For more information on ThinkPad accessories, please visit:

www.lenovo.com/support/accessories
www.lenovo.com/support/notebookaccessories
www.lenovo.com/support/security

Other accessories at www.lenovo.com/accessoriesAccessories Guide pdf at www.lenovo.com/accessoriesguide

ThinkPad®



Lenovo® ThinkPad SL410



Lenovo ThinkPad SL410



Lenovo ThinkPad SL410



Lenovo ThinkPad SL410



Lenovo ThinkPad SL410 buttons



Lenovo ThinkPad SL410 lights

ThinkPad® SL410 2842 (GMA) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

Type-model	Proc- essor	GHz	Memory	Wide- screen display	CCFL or LED	Screen type	Cam- era	Integrated graphics	Disk SATA GB ³ rpm	SATA optical	Mini PCIe 802.11 wireless	Mini PCIe WWAN	Blue- tooth	Finger print reader	Bat- tery cells	Preload	Avail date
⌘ 2842-F7U	T6570	2.10	2GB	14.0" HD	LED	Glossy	2.0M	GMA	250G 5400	DVD±RW	* Intel 1000	None			6	Pro 32	Jan 10
⌘ 2842-F8U	T6570	2.10	3GB	14.0" HD	LED	Glossy	2.0M	GMA	320G 7200	DVD±RW	* Intel 1000	None			6	Pro 32	Jan 10
⌘ 2842-F9U	T6670	2.20	4GB	14.0" HD	LED	Glossy	2.0M	GMA	320G 7200	DVD±RW	* Intel 1000	None	Blue	Fing	6	Pro 64	Jan 10
⌘ 2842-K3U	T6670	2.20	2GB	14.0" HD	LED	Glossy	0.3M	GMA	250G 5400	DVD±RW	* Intel 1000	None			6	Pro 64	Sep 10
⌘ 2842-K4U	T6670	2.20	3GB	14.0" HD	LED	Glossy	0.3M	GMA	500G 7200	DVD±RW	* Intel 1000	None			6	Pro 64	Sep 10

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

Processor	Intel® Core™ 2 Duo processor T6570 or T6670 with dual-core, 800MHz system bus, and 2MB L2 cache										Preloaded operating system ²⁰						
Memory	2GB, 3GB, or 4GB std / 8GB max ⁷ / PC3-8500 1066MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available; <i>Non-italics:</i> standard memory in one socket; one socket available										- Some: Genuine Windows® 7 Professional 32 - Some: Genuine Windows 7 Professional 64						
SATA DVD±RW SATA disk	DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in 250GB ⁸ (5400 rpm), 320GB (7200 rpm), or 500GB (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, ThinkPad Shock Mounted Hard Drive, Active Protection System™										Preloaded applications ¹⁴ (only some listed)						
Widescreen display Camera	14.0" (355mm) HD (1366x768) color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel or 2.0-megapixel, fixed focus										• Rescue and Recovery™ • Access Connections™ • Password Manager • ThinkVantage Power Manager • ThinkVantage System Update • Fingerprint Software (fingerprint models) • ThinkVantage Toolbox • Microsoft Office 2010 preloaded; purchase product key to activate • Adobe® Reader® • Adobe Flash® Player • Roxio® Creator® Business Edition (DVD±RW)						
Integrated graphics	Intel Graphics Media Accelerator 4500MHD (GMA 4500MHD), in GM45, HDMI port supporting HDCP to output protected content; Max external resolution: 2048x1536@75Hz (VGA DB-15 port); 1920x1080 (HDMI port)										Supports ThinkVantage® technologies						
Keyboard TrackPoint® Touch pad	6-row, ThinkVantage button, spill-resistant, multimedia Fn keys TrackPoint® pointing device, Internet Scroll Bar ¹³ , magnifying glass UltraNav™, wide touch pad below keyboard, Tap Zones, scrolling regions label, multi-touch Illuminated power button										65-watt (GMA graphics) AC adapter EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹² via 800-426-7378						
Lighting FX	Dimensions ³ 4/6-cell 14.0W" (WxDxH): 13.54" x 9.17" x 1.26–1.42"; 344mm x 233mm x 32–36mm Weight ² 4-cell: starting at 4.59 lb (2.08kg); 6-cell: starting at 5.1 lb (2.3kg) Case color ThinkPad Matte Black Case material Scratch-resistant ABS plastic Battery - type ³⁷ Lithium Ion 6-cell Battery - life ¹⁰ 6-cell: up to 4.0 hr; 9-cell: up to 6 hr										ThinkPlus™. 22 1-year LOR ²⁴ 9x5 NBD 45K5968						
Chipset	Mobile Intel GM45 Express Chipset (Graphics Memory Controller Hub), ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express® 1.1, PCI 2.3, ethernet MAC), LPC bus (IT8752) One slot (ExpressCard/34)										ThinkPlus 2-year LOR 9x5 NBD 45K5969						
ExpressCard	7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H)										ThinkPlus 3-year LOR 9x5 NBD 45K5970						
Multicard Reader	None										ThinkPlus 4-year LOR 9x5 NBD 45K5973						
PC Card	None										ThinkPlus 5-year LOR 9x5 NBD 45K5975						
Smart Card Read	None										ThinkPlus 2-year P&L P/U Depot 45K5971						
Ports	Three USB 2.0, one eSATA/USB combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)										ThinkPlus 3-year P&L P/U Depot 45K5972						
Mini PCI Express	One Mini PCI Express slot										ThinkPlus 4-year P&L P/U Depot 45K5974						
Intel 1000	11b/g/n wireless ⁴ , Mini PCIe adapter, Intel Centrino® Wireless-N 1000, 1x2										ThinkPlus 5-year P&L P/U Depot 45K5976						
WWAN upg	None										Post-warranty annual maintenance agreements at lenovo.com/thinkplus/warranty						
Modem	None																
Bluetooth™	Some: Bluetooth 2.1 wireless, LED indicator																
Ethernet	Realtek RTL8111DL Gigabit Network Connection, PHY, PCIe x1																
Intel AMT	None																
Audio support	High Definition (HD) Audio, ALC269Q codec / stereo speakers, 1.5 watt / speaker volume up, down and mute buttons / mono microphone, mic mute button, mic input jack, headphone jack Power-on password, hard disk password, supervisor password, security keyhole																
Security	None																
Security chip	None																
Fingerprint reader	Some: Fingerprint reader on palm rest, swipe sensor																
Limited warranty ¹²	1-year - depot repair service / service upgrades ²² available																

See footnotes for important warranty information * Intel Centrino® processor technology

⌘ US models announced September 28, 2010; previous models on December 15, 2009

⌘ US models withdrawn effective December 2010 or January 2011

© Lenovo
(JAD1-3) October 2010

Memory

1GB PC3-8500 DDR3 Low-Halogen SODIMM	55Y3706	ann 06/23/09
1GB PC3-8500 DDR3 L-H SODIMM (25-Pack)	57Y4385	ann 06/23/09
2GB PC3-8500 DDR3 Low-Halogen SODIMM	55Y3707	ann 06/23/09
2GB PC3-8500 DDR3 L-H SODIMM (25-Pack)	57Y4386	ann 06/23/09
4GB PC3-8500 DDR3 Low-Halogen SODIMM	55Y3708	ann 06/23/09
1GB PC3-10600 DDR3 L-H SODIMM	55Y3709	ann 03/02/10
1GB PC3-10600 DDR3 L-H SODIMM (25-Pack)	57Y4415	ann 03/02/10
2GB PC3-10600 DDR3 L-H SODIMM	55Y3710	ann 03/02/10
2GB PC3-10600 DDR3 L-H SODIMM (25-Pack)	57Y4416	ann 03/02/10
4GB PC3-10600 DDR3 L-H SODIMM	55Y3711	ann 03/02/10

Storage and removable storage

SL410/510 500GB Disk SATA 3G/s (5400 rpm)	43N3422	ann 10/22/09
USB 2.0 Portable 320GB Hard Disk	45K1689	ann 03/17/09
USB 2.0 Portable 500GB Hard Disk	45K1690	ann 05/26/09
USB 2.0 Portable Secure 320GB Hard Disk	43R2019	ann 11/18/08
eSATA/USB 2.0 Secure 500GB Hard Drive	57Y4400	ann 01/07/10
USB 2.0 Portable DVD Burner	43N3264	ann 01/05/10

ThinkPad Expansion

Lenovo® Essential Notebook Stand	45J9292	ann 05/12/09
USB Port Replicator with Digital Video	45K1610	ann 07/28/09

Keyboard

TrackPoint Cap Collection	73P2698	ann 12/16/03
USB Numeric Keypad	33L3225	ann 05/01/00
Preferred Pro USB Keyboard	73P5220	ann 06/21/05
Enhanced Performance USB Keyboard	73P2620	ann 03/23/04
Lenovo Mini Wireless Keyboard N5901 ⁵² (blk)	57Y6336	
UltraSlim Wireless Keyboard and Mouse ⁵²	57Y4700	ann 09/15/09
⁵² Wireless via 2.4GHz technology using a micro-size USB receiver.		
ThinkPad USB Keyboard with TrackPoint	55Y9003	ann 08/18/09
Preferred Pro USB Fingerprint Keyboard	73P4730	ann 02/22/05
Lenovo USB Smartcard Keyboard	51J0155	ann 03/24/09

Mouse

Lenovo Optical Mouse (USB)	06P4069	ann 05/21/03
Lenovo Laser Mouse (USB)	41U3074	ann 01/23/07
ThinkPad USB Laser Mouse	57Y4635	ann 12/15/09
Lenovo ScrollPoint® Mouse (USB, Optical)	31P7405	ann 08/27/02
ThinkPad Travel Mouse (USB, Optical)	31P7410	ann 06/04/02
ThinkPad Bluetooth Laser Mouse	41U5008	ann 01/22/08
Lenovo Optical Mouse A6010 (black)	57Y6255	
Lenovo Mini Optical Mouse M20B	55Y2091	
Lenovo Wireless Mouse N30B (black)	55Y9360	

Security

Kensington® MicroSaver® Cable Lock	73P2582	ann 12/29/03
Kensington Twin Head Cable Lock	45K1620	ann 09/30/08
Lenovo Security Cable Lock	57Y4303	ann 08/24/10
USB Gemplus GemPC Smart Card Reader	41N3040	ann 02/21/06

Multimedia

ThinkPad In-Ear Headphones with mic	57Y4488	ann 01/07/10
Lenovo Mini Speakers M220	55Y2033	ann 01/07/10
Lenovo Headphone P550	55Y2065	

Modem

USB 2.0 Lenovo Modem	43R1814	ann 02/26/08
----------------------	---------	--------------

Batteries³⁷

ThinkPad Battery 25 (4-cell)	51J0498	ann 10/22/09
ThinkPad Battery 25+ (6-cell)	51J0499	ann 10/22/09
ThinkPad Battery 25++ (9-cell)	51J0500	ann 10/22/09
ThinkPad External Battery Charger ⁴⁴	40Y7625	ann 09/20/05

⁴⁴ Requires the *ThinkPad 90W AC Adapter*

40Y7659 or the adapter provided with the system.

More information at www.lenovo.com/alldaycomputing

ThinkPad 65W AC Adapter ⁴⁵	40Y7696	
⁴⁵ Only compatible with the integrated graphics models.		
ThinkPad 90W AC Adapter	40Y7659	ann 09/20/05
ThinkPad 65W AC Adapter with USB Hub	57Y4600	ann 09/07/10
90W UltraSlim AC/DC Combo Adapter	41R4493	ann 09/22/09

More info at www.lenovo.com/support/poweradapters*Charging tips for 90W UltraSlim AC/DC Combo Adapter 41R4493*

• iPod and iPhone Charge Tip (L10a)	41R4481	ann 12/18/07
• Generic Micro USB charge tip (L18)	41R4490	ann 01/06/09

More information at www.lenovopowertips.com**Carrying Cases**

<i>Up to 14" widescreen models:</i>		
ThinkPad 14W Case Sleeve	57Y4294	ann 03/16/10
<i>Up to 15.4" widescreen models:</i>		
ThinkPad 15W Case Sleeve	51J0477	ann 08/18/09
Lenovo Business Messenger Case	51J0475	ann 08/18/09
Lenovo Messenger Max	41U5253	ann 05/01/07
Lenovo Performance Backpack	41U5254	ann 05/01/07
ThinkPad Business Topload Case	43R2476	ann 05/13/08
ThinkPad Business Backpack	43R2482	ann 05/13/08
ThinkPad Deluxe Expander Case	43R2478	ann 05/13/08
ThinkPad Executive Leather Case	43R2480	ann 05/13/08

<i>Up to 15.6" widescreen models:</i>		
Wenger Backpack for Lenovo	57Y4271	ann 01/07/10
Wenger Slim Case for Lenovo	57Y4272	ann 01/07/10
Wenger Deluxe Slim Case for Lenovo	57Y4273	ann 01/07/10

More information at www.lenovo.com/support/cases**Monitors**

Lenovo L2230x Wide 21.5" Monitor	5453HB1	ann 06/10/10
ThinkVision® L1711p 17" Monitor	5047HB2	ann 10/20/09
ThinkVision L1900p 19" Monitor	4431HE1	ann 11/11/08
ThinkVision L1951p Wide 19" Monitor	2448HB6	ann 10/20/09
ThinkVision L2250p Wide 22" Monitor	2572HB6	ann 10/20/09
ThinkVision L2251p Wide 22" Monitor	2572HD6	ann 10/20/09
ThinkVision L2251x Wide 22" Monitor	2578HB6	ann 10/20/09
ThinkVision L2321x Wide 23" Monitor	4014HB6	ann 06/10/10
ThinkVision L2440p Wide 24" Monitor	4420HB2	ann 09/17/08

Monitor Accessories⁴⁶

ThinkVision USB Soundbar	40Y7616	ann 08/23/05
ThinkVision Soundbar	45K1263	ann 09/16/08
Kensington MicroSaver Cable Lock	73P2582	ann 12/29/03
Kensington Twin Head Cable Lock	45K1620	ann 09/30/08
Lenovo Security Cable Lock	57Y4303	ann 08/24/10
Lenovo Easy Reach Monitor Stand	55Y9258	ann 09/22/09

⁴⁶ Compatible on selected Lenovo and ThinkVision monitors.More information at www.lenovo.com/support/monitoraccessories

For more information on ThinkPad SL accessories, please visit:

www.lenovo.com/support/accessories
www.lenovo.com/support/notebookaccessories
www.lenovo.com/support/security

Other accessories at www.lenovo.com/accessoriesAccessories Guide pdf at www.lenovo.com/accessoriesguide

ThinkPad®



Lenovo® ThinkPad SL510



Lenovo ThinkPad SL510



Lenovo ThinkPad SL510



Lenovo ThinkPad SL510



Lenovo Essential Notebook Stand
45J9292



ThinkPad SL510 Touchpad

ThinkPad® SL510 2847 (GMA) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

Type-model	proc- essor	GHz	Memory	Wide- screen display	CCFL or LED	Screen type	Cam- era	Inte- grated graphics	Disk SATA GB ⁸ rpm	SATA optical	Mini PCIe 802.11 wireless	Mini PCIe WWAN	Finger Blue- tooth reader	Bat- tery cells	Preload	Avail date
☞ 2847-2KU	T5870	2.00	2GB	15.6"	HD	LED		GMA	160G 5400	DVD±RW *	Intel 5100 ²⁸			6	Pro 32	Oct 09
☞ 2847-2LU	T5870	2.00	4GB	15.6"	HD	LED	2.0M	GMA	250G 5400	DVD±RW *	Intel 5100		Blue	6	Home P	Oct 09
☞ 2847-2QU	P8700	2.53	4GB	15.6"	HD	LED	2.0M	GMA	320G 5400	DVD±RW *	Intel 5100		Blue	6	Pro 64	Oct 09
☞ 2847-6GU	T6670	2.20	2GB	15.6"	HD	LED	2.0M	GMA	250G 5400	DVD±RW *	WiMAX			6	Pro 32	Nov 09
☞ 2847-6HU	T6670	2.20	3GB	15.6"	HD	LED	2.0M	GMA	250G 5400	DVD±RW *	Intel 5100	Verizon ¹⁶		6	Pro 32	Nov 09
☞ 2847-9VU	T6570	2.10	4GB	15.6"	HD	LED	Glossy 2.0M	GMA	320G 7200	DVD±RW *	Intel 1000 ²⁸		Blue	6	Home P	Jan 10
☞ 2847-9YU	T6670	2.20	4GB	15.6"	HD	LED	2.0M	GMA	320G 7200	DVD±RW *	Intel 1000		Blue	6	Pro 64	Jan 10
☞ 2847-9UU	T6570	2.10	2GB	15.6"	HD	LED	2.0M	GMA	250G 5400	DVD±RW *	Intel 1000		Blue	6	Pro 32	Jan 10
☞ 2847-9XU	T6570	2.10	3GB	15.6"	HD	LED	2.0M	GMA	320G 7200	DVD±RW *	Intel 1000			6	Pro 32	Jan 10
☞ 2847-9ZU	T6670	2.20	3GB	15.6"	HD	LED	2.0M	GMA	320G 7200	DVD±RW *	Intel 1000	AT&T ²³		6	Pro 32	Jan 10
☞ 2847-AZU	T6570	2.10	2GB	15.6"	HD	LED	Glossy 2.0M	GMA	250G 5400	DVD±RW *	Intel 1000			6	Home P	Apr 10
☞ 2847-CZU	T6670	2.20	2GB	15.6"	HD	LED	0.3M	GMA	250G 5400	DVD±RW *	Intel 1000			6	Pro 64	Sep 10
☞ 2847-D2U	T6670	2.20	3GB	15.6"	HD	LED	0.3M	GMA	500G 7200	DVD±RW *	Intel 1000			6	Pro 64	Sep 10

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

Processor	Intel® Core™ 2 Duo processor T5870, T6570, or T6670 with dual-core, 800MHz system bus, and 2MB L2 cache or Intel Core 2 Duo processor P8700 with dual-core, Intel HD Boost, 1066MHz system bus, and 3MB L2 cache		Preloaded operating system ²⁰ - <i>Some:</i> Genuine Windows® 7 Home Premium 64 - <i>Some:</i> Genuine Windows 7 Professional 32 - <i>Some:</i> Genuine Windows 7 Professional 64 Preloaded applications ¹⁴ (only some listed) • Rescue and Recovery™ • Access Connections™ • Password Manager • ThinkVantage Power Manager • ThinkVantage System Update • Fingerprint Software (fingerprint models) • ThinkVantage Toolbox • Adobe® Reader® • Adobe Flash® Player • Skype™ for Windows • Microsoft Office 2010 preloaded; purchase product key to activate • Microsoft Research AutoCollage Touch • Roxio® Creator® Business Edition (DVD±RW) • Roxio MyDVD® (DVD±RW) • Corel® WinDVD® (DVD±RW)
Memory	2GB, 3GB, or 4GB std / 8GB max ⁷ / PC3-8500 1066MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available; <i>Non-italics:</i> standard memory in one socket; one socket available		
SATA DVD±RW SATA disk	DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in 160GB ⁸ (5400 rpm), 250GB (5400 rpm), 320GB (5400 or 7200 rpm), or 500GB (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, ThinkPad Shock Mounted Hard Drive, Active Protection System™		
Widescreen display	<i>Some:</i> 15.6" (395mm) HD (1366x768) color, anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio <i>Some:</i> 15.6" (395mm) HD (1366x768) color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio		
Camera	<i>Some:</i> camera on top of screen, 0.3-megapixel or 2.0-megapixel, fixed focus		
Integrated graphics	Intel Graphics Media Accelerator 4500MHD (GMA 4500MHD), in GM45, HDMI port supporting HDCP to output protected content <i>Max external resolution:</i> 2048x1536@75Hz (VGA DB-15 port); 1920x1080 (HDMI port)		
Keyboard TrackPoint® Touch pad	6-row, ThinkVantage button, spill-resistant, multimedia Fn keys, Windows and App keys TrackPoint® pointing device, Internet Scroll Bar ¹³ , magnifying glass UltraNav™, wide touch pad below keyboard, Tap Zones, scrolling regions label, multi-touch		
Lighting FX	Illuminated power button		
Dimensions ³ Weight ² Case Battery - type ³⁷ Battery - life ¹⁰	4/6-cell 15.6W" (WxDxH): 14.9" x 9.72" x 1.26–1.42"; 380 x 247mm x 32–36mm 4-cell: starting at 5.17 lb (2.35kg); 6-cell: starting at 5.64 lb (2.56kg) <i>Color:</i> ThinkPad Matte Black; <i>Material:</i> Scratch-resistant ABS plastic Lithium Ion 6-cell 6-cell: up to 4.0 hr; 9-cell: up to 6 hr		
Chipset	Mobile Intel GM45 Express Chipset (Graphics Memory Controller Hub), ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express® 1.1, PCI 2.3, ethernet MAC), LPC bus (IT8752) One slot (ExpressCard/34)		
ExpressCard Multicard reader PC Card Smart Card read Ports	7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H) None None Three USB 2.0, one eSATA/USB combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)		65-watt (GMA graphics) AC adapter EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹² via 800-426-7378
Mini PCI Express	One or two Mini PCI Express slots		ThinkPlus™.22 1-year LOR ²⁴ 9x5 NBD
Intel 1000 ²⁸	<i>Some:</i> 11b/g/n wireless ⁴ , Mini PCIe adapter, Intel Centrino® Wireless-N 1000, 1x2		45K5968
Intel 5100 ²⁸	<i>Some:</i> 11a/b/g/n wireless, Mini PCIe adapter, Intel WiFi Link 5100, 1x2 (Shirley Peak)		ThinkPlus 2-year LOR 9x5 NBD
WiMAX	<i>Some:</i> 11a/b/g/n and WiMAX wireless, Mini PCIe adap, Intel WiMAX/WiFi Link 5150, 1x2 (300Mbps) WiFi + 1x2 WiMAX (Echo Peak)		45K5969
Verizon ¹⁶	<i>Some:</i> Wireless WAN, Qualcomm Gobi 1000 chipset, Mini PCIe adptr, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS, service contract required with Verizon®		ThinkPlus 3-year LOR 9x5 NBD
AT&T ²³	<i>Some:</i> Wireless WAN, Ericsson chipset, Mini PCIe adapter and SIM, GPRS/WCDMA/HSPA, GPS, service contract required with AT&T®		45K5970
Modem	None		ThinkPlus 4-year LOR 9x5 NBD
Bluetooth™	<i>Some:</i> Bluetooth 2.1 wireless, LED indicator		45K5973
Ethernet	Realtek® RTL8111DL Gigabit Network Connection, PHY, PCIe x1		ThinkPlus 5-year LOR 9x5 NBD
Intel AMT	None		45K5975
Audio support	High Definition (HD) Audio, ALC269Q codec / stereo speakers, 1.5 watt / speaker volume up, down and mute buttons / mono microphone, mic mute button, mic input jack, headphone jack		ThinkPlus 2-year P&L P/U Depot
Security	Power-on password, hard disk password, supervisor password, security keyhole		45K5971
Security chip	None		ThinkPlus 3-year P&L P/U Depot
Fingerprint reader	<i>Some:</i> Fingerprint reader on palm rest, swipe sensor		45K5972
Limited warranty ¹²	1-year - depot repair service / service upgrades ²² available		ThinkPlus 4-year P&L P/U Depot
			45K5974
			ThinkPlus 5-year P&L P/U Depot
			45K5976
			Post-warranty annual maintenance agreements at
			lenovo.com/thinkplus/warranty

See footnotes for important warranty information

* Intel Centrino® processor technology

☞ US models announced September 28, 2010;

☞ Intel Centrino 2 processor technology

previous models on October 22, November 17, or December 15, 2009, or April 6, 2010

☞ US models withdrawn effective February or December 2010 or January 2011

© Lenovo
(TOP1-3) October 2010

Type-model	proc- essor	GHz	Memory	Wide- screen display	CCFL or LED	Cam- era	Inte- grated graphics	Disk SATA GB ⁸ rpm	SATA optical	Mini PCIe 802.11 wireless	Mini PCIe WWAN	Blue- tooth	Finger print reader	Bat- tery cells	Preload	Avail date
2847-DJU	T6670	2.20	4GB	15.6" HD	LED	0.3M	GMA	500G 7200	DVD±RW	* 11n ²⁸	None	None	None	6	Home P	Jan 11
2847-DKU	T6670	2.20	2GB	15.6" HD	LED	0.3M	GMA	250G 5400	DVD±RW	* Intel 1000 ²⁸	None	None	None	6	Home P	Jan 11

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

Processor	Intel® Core™ 2 Duo processor T6670 with dual-core, 800MHz system bus, and 2MB L2 cache											Preloaded operating system²⁰ - Genuine Windows® 7 Home Premium 64				
Memory	2GB or 4GB std / 8GB max ⁷ / PC3-8500 1066MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available; <i>Non-italics:</i> standard memory in one socket; one socket available											Preloaded applications¹⁴ (only some listed) • Rescue and Recovery™ • Access Connections™ • Password Manager • ThinkVantage Power Manager • ThinkVantage System Update • ThinkVantage Toolbox • Adobe® Reader® • Adobe Flash® Player • Skype™ for Windows • Microsoft Office 2010 preloaded; purchase product key to activate • Roxio® Creator® Business Edition (DVD±RW) • Roxio MyDVD® (DVD±RW) • Corel® WinDVD® (DVD±RW)				
SATA DVD±RW SATA disk	DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in 250GB⁸ (5400 rpm) or 500GB (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, ThinkPad Shock Mounted Hard Drive, Active Protection System™															
Widescreen display Camera	15.6" (395mm) HD (1366x768) color , anti-glare, LED backlight , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel, fixed focus															
Integrated graphics	Intel Graphics Media Accelerator 4500MHD (GMA 4500MHD) , in GM45, HDMI port supporting HDCP to output protected content <i>Max external resolution:</i> 2048x1536@75Hz (VGA DB-15 port); 1920x1080 (HDMI port)															
Keyboard TrackPoint® Touch pad	6-row, ThinkVantage button, spill-resistant, multimedia Fn keys, Windows and App keys TrackPoint® pointing device, Internet Scroll Bar ¹³ , magnifying glass UltraNav™, wide touch pad below keyboard, Tap Zones, scrolling regions label, multi-touch															
Lighting FX	Illuminated power button											Supports ThinkVantage® technologies				
Dimensions ³ Weight ² Case Battery - type ³⁷ Battery - life ¹⁰	<i>4/6-cell 15.6W" (WxDxH):</i> 14.9" x 9.72" x 1.26–1.42"; 380 x 247mm x 32–36mm <i>4-cell:</i> starting at 5.17 lb (2.35kg); <i>6-cell:</i> starting at 5.64 lb (2.56kg) <i>Color:</i> ThinkPad Matte Black; <i>Material:</i> Scratch-resistant ABS plastic Lithium Ion 6-cell <i>6-cell:</i> up to 4.0 hr; <i>9-cell:</i> up to 6 hr											65-watt (GMA graphics) AC adapter EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹² via 800-426-7378				
Chipset	Mobile Intel GM45 Express Chipset (Graphics Memory Controller Hub), ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express® 1.1, PCI 2.3, ethernet MAC), LPC bus (IT8752)															
ExpressCard Multicard reader PC Card Smart Card read Ports	One slot (ExpressCard/34) 7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H) None None Three USB 2.0, one eSATA/USB combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)											ThinkPlus™, 22 1-year LOR ²⁴ 9x5 NBD 45K5968 ThinkPlus 2-year LOR 9x5 NBD 45K5969 ThinkPlus 3-year LOR 9x5 NBD 45K5970 ThinkPlus 4-year LOR 9x5 NBD 45K5973 ThinkPlus 5-year LOR 9x5 NBD 45K5975 ThinkPlus 2-year P&L P/U Depot 45K5971 ThinkPlus 3-year P&L P/U Depot 45K5972 ThinkPlus 4-year P&L P/U Depot 45K5974 ThinkPlus 5-year P&L P/U Depot 45K5976				
Mini PCI Express 11n ²⁸ Intel 1000 ²⁸ WWAN upg Modem Bluetooth™ Ethernet Intel AMT Audio support	One Mini PCI Express slot <i>Some:</i> 11b/g/n wireless ⁴ , Mini-PCIe Adapter II <i>Some:</i> 11b/g/n wireless, Mini PCIe adapter, Intel Centrino® Wireless-N 1000, 1x2 None None None Realtek® RTL8111DL Gigabit Network Connection, PHY, PCIe x1 None High Definition (HD) Audio, ALC269Q codec / stereo speakers, 1.5 watt / speaker volume up, down and mute buttons / mono microphone, mic mute button, mic input jack, headphone jack Power-on password, hard disk password, supervisor password, security keyhole															
Security Security chip Fingerprint reader	None None None															
Limited warranty ¹²	1-year - depot repair service / service upgrades ²² available											agreements at lenovo.com/thinkplus/warranty				

See footnotes for important warranty information
US models announced January 11, 2011

* Intel Centrino® processor technology
✦ Intel Centrino 2 processor technology

© Lenovo
(TOP1-4) January 2011

Memory

1GB PC3-8500 DDR3 Low-Halogen SODIMM	55Y3706	ann	06/23/09
1GB PC3-8500 DDR3 L-H SODIMM (25-Pack)	57Y4385	ann	06/23/09
2GB PC3-8500 DDR3 Low-Halogen SODIMM	55Y3707	ann	06/23/09
2GB PC3-8500 DDR3 L-H SODIMM (25-Pack)	57Y4386	ann	06/23/09
4GB PC3-8500 DDR3 Low-Halogen SODIMM	55Y3708	ann	06/23/09
1GB PC3-10600 DDR3 L-H SODIMM	55Y3709	ann	03/02/10
1GB PC3-10600 DDR3 L-H SODIMM (25-Pack)	57Y4415	ann	03/02/10
2GB PC3-10600 DDR3 L-H SODIMM	55Y3710	ann	03/02/10
2GB PC3-10600 DDR3 L-H SODIMM (25-Pack)	57Y4416	ann	03/02/10
4GB PC3-10600 DDR3 L-H SODIMM	55Y3711	ann	03/02/10

Storage and removable storage

SL410/510 500GB Disk SATA 3G/s (5400 rpm)	43N3422	ann	10/22/09
USB 2.0 Portable 320GB Hard Disk	45K1689	ann	03/17/09
USB 2.0 Portable 500GB Hard Disk	45K1690	ann	05/26/09
USB 2.0 Portable Secure 320GB Hard Disk	43R2019	ann	11/18/08
eSATA/USB 2.0 Secure 500GB Hard Drive	57Y4400	ann	01/07/10
USB 2.0 Portable DVD Burner	43N3264	ann	01/05/10

ThinkPad Expansion

Lenovo® Essential Notebook Stand	45J9292	ann	05/12/09
USB Port Replicator with Digital Video	45K1610	ann	07/28/09

Keyboard

TrackPoint Cap Collection	73P2698	ann	12/16/03
USB Numeric Keypad	33L3225	ann	05/01/00
Preferred Pro USB Keyboard	73P5220	ann	06/21/05
Enhanced Performance USB Keyboard	73P2620	ann	03/23/04
Lenovo Mini Wireless Keyboard N5901 ⁵² (blk)	57Y6336		
Ultraslim Wireless Keyboard and Mouse ⁵²	57Y4700	ann	09/15/09
⁵² Wireless via 2.4GHz technology using a micro-size USB receiver.			
ThinkPad USB Keyboard with TrackPoint	55Y9003	ann	08/18/09
Preferred Pro USB Fingerprint Keyboard	73P4730	ann	02/22/05
Lenovo USB Smartcard Keyboard	51J0155	ann	03/24/09

Mouse

Lenovo Optical Mouse (USB)	06P4069	ann	05/21/03
Lenovo Laser Mouse (USB)	41U3074	ann	01/23/07
ThinkPad USB Laser Mouse	57Y4635	ann	12/15/09
Lenovo ScrollPoint® Mouse (USB, Optical)	31P7405	ann	08/27/02
ThinkPad Travel Mouse (USB, Optical)	31P7410	ann	06/04/02
ThinkPad Bluetooth Laser Mouse	41U5008	ann	01/22/08
Lenovo Optical Mouse A6010 (black)	57Y6255		
Lenovo Mini Optical Mouse M20B	55Y2091		
Lenovo Wireless Mouse N30B (black)	55Y9360		

Security

Kensington® MicroSaver® Cable Lock	73P2582	ann	12/29/03
Kensington Twin Head Cable Lock	45K1620	ann	09/30/08
Lenovo Security Cable Lock	57Y4303	ann	08/24/10
USB Gemplus GemPC Smart Card Reader	41N3040	ann	02/21/06

Multimedia

ThinkPad In-Ear Headphones with mic	57Y4488	ann	01/07/10
Lenovo Mini Speakers M220	55Y2033	ann	01/07/10
Lenovo Headphone P550	55Y2065		

Modem

USB 2.0 Lenovo Modem	43R1814	ann	02/26/08
----------------------	---------	-----	----------

Batteries³⁷

ThinkPad Battery 25 (4-cell)	51J0498	ann	10/22/09
ThinkPad Battery 25+ (6-cell)	51J0499	ann	10/22/09
ThinkPad Battery 25++ (9-cell)	51J0500	ann	10/22/09
ThinkPad External Battery Charger ⁴⁴	40Y7625	ann	09/20/05

⁴⁴ Requires the *ThinkPad 90W AC Adapter*

40Y7659 or the adapter provided with the system.

More information at www.lenovo.com/alldaycomputing

ThinkPad 65W AC Adapter ⁴⁵	40Y7696		
⁴⁵ Only compatible with the integrated graphics models.			
ThinkPad 90W AC Adapter	40Y7659	ann	09/20/05
ThinkPad 65W AC Adapter with USB Hub	57Y4600	ann	09/07/10
90W Ultraslim AC/DC Combo Adapter	41R4493	ann	09/22/09

More info at www.lenovo.com/support/poweradapters*Charging tips for 90W Ultraslim AC/DC Combo Adapter 41R4493*

• iPod and iPhone Charge Tip (L10a)	41R4481	ann	12/18/07
• Generic Micro USB charge tip (L18)	41R4490	ann	01/06/09

More information at www.lenovopowertips.com**Carrying Cases***Up to 15.6" widescreen models:*

ThinkPad 15W Case Sleeve	51J0477	ann	08/18/09
Lenovo Business Messenger Case	51J0475	ann	08/18/09
Lenovo Messenger Max	41U5253	ann	05/01/07
Lenovo Performance Backpack	41U5254	ann	05/01/07
ThinkPad Business Backpack	43R2482	ann	05/13/08

More information at www.lenovo.com/support/cases**Monitors**

Lenovo L2230x Wide 21.5" Monitor	5453HB1	ann	06/10/10
ThinkVision® L1711p 17" Monitor	5047HB2	ann	10/20/09
ThinkVision L1900p 19" Monitor	4431HE1	ann	11/11/08
ThinkVision L1951p Wide 19" Monitor	2448HB6	ann	10/20/09
ThinkVision L2250p Wide 22" Monitor	2572HB6	ann	10/20/09
ThinkVision L2251p Wide 22" Monitor	2572HD6	ann	10/20/09
ThinkVision L2251x Wide 22" Monitor	2578HB6	ann	10/20/09
ThinkVision L2321x Wide 23" Monitor	4014HB6	ann	06/10/10
ThinkVision L2440p Wide 24" Monitor	4420HB2	ann	09/17/08

Monitor Accessories⁴⁶

ThinkVision USB Soundbar	40Y7616	ann	08/23/05
ThinkVision Soundbar	45K1263	ann	09/16/08
Kensington MicroSaver Cable Lock	73P2582	ann	12/29/03
Kensington Twin Head Cable Lock	45K1620	ann	09/30/08
Lenovo Security Cable Lock	57Y4303	ann	08/24/10
Lenovo Easy Reach Monitor Stand	55Y9258	ann	09/22/09

⁴⁶ Compatible on selected Lenovo and ThinkVision monitors.More information at www.lenovo.com/support/monitoraccessories

For more information on ThinkPad SL accessories, please visit:

www.lenovo.com/support/accessories
www.lenovo.com/support/notebookaccessories
www.lenovo.com/support/security

Other accessories at www.lenovo.com/accessoriesAccessories Guide pdf at www.lenovo.com/accessoriesguide

Availability: All offers subject to availability. Lenovo reserves the right to alter product offerings and specifications at any time, without notice. Lenovo is not responsible for photographic or typographic errors.

Warranty: For a copy of applicable product warranties, write to: Warranty Information, P.O. Box 12195, RTP, NC, 27709, Attn: Dept ZPYA/B676. Lenovo makes no representation or warranty regarding third party products or services.

Footnotes:

¹ Power management, including Intel® SpeedStep® Technology, reduces processor speed when in battery mode.

² **Weight** includes battery and standard optical drive; weight may vary due to vendor components, manufacturing process and options.

³ **Thinness** may vary at certain points on the system.

⁴ **Wireless capability:** Requires compatible wireless-enabled options sold separately.

⁶ **Public network download modem speeds** are limited to 53Kbps. Upload speeds are limited to 48Kbps for V.92 modems. Actual speeds depend on many factors and are often less than the maximum possible. V.92 functions and speeds require compatible phone line and server equipment. Check with your telephone and ISP service providers for availability.

⁷ **Maximum memory capacity** may require the replacement of standard component with largest supported component available. On ThinkPad systems, even though it is possible to physically install 4GB of memory, the actual amount of memory addressable by a 32-bit operating system will be limited to 3GB. This limitation does not exist with 64-bit operating systems.

⁸ **Hard drive:** GB = billion bytes, TB = trillion bytes. Accessible capacity is less; up to 4GB is service partition.

¹⁰ **Battery:** These model numbers achieved the battery life based on MobileMark® 2007 during testing. Battery life (and recharge times) will vary based on many factors including screen brightness, applications, features, power management, battery conditioning, and other customer preferences.

¹² **Limited warranty:** Support unrelated to a warranty issue may be subject to additional charges.

¹³ **Internet access not included.**

¹⁴ **Included software** may differ from its retail version (if available), and may not include user manuals or all program functionality. Software license agreements may apply.

¹⁶ **Activating Verizon Wireless Service:** Lenovo customers will be contacted after purchase to activate service; requires separate agreement with Verizon Wireless and is subject to the Customer Agreement, Calling Plan, and credit approval. Service, airtime, and early termination charges may apply. Verizon Wireless, not Lenovo, is solely responsible for service. Service not available in all areas; purchaser is responsible for verifying that service is available for the intended location before purchasing a computer equipped with WAN card. Network details, coverage limitations, and maps at www.verizonwireless.com.

¹⁷ **International Warranty Service** is available in any country in which this product is sold and serviced. Service delivery methods and parts availability vary by country, may be different from that in the country of purchase, and are subject to change without notice. Fees and restrictions may apply in some countries.

¹⁸ **Telephone support** may be subject to additional charges, even during the limited warranty period. Response times may vary. May exclude some holidays. If a machine is listed as having "On-site service for select repairs", this means that onsite service is available only for the replacement of select parts. For all other warranty repairs, Lenovo will provide the customer a replacement part for customer installation. The parts for which onsite service is available varies by machine, but may include the processor, power supply, heat sink, system board, or base cover. For ThinkPad notebooks with EasyServ or Courier service, Lenovo will attempt to diagnose and resolve the problem remotely before sending a courier.

¹⁹ **EasyServ depot repair service:** In the United States call 1-800-426-7378. The customer may be asked certain diagnostic questions before a courier is sent. Your ThinkPad purchase includes this depot repair service, available in the U.S. during the limited warranty period.

²⁰ **Operating System:** Level of support varies by operating system. Operating systems not preloaded on the system may not provide full feature functionality. Refer to lenovo.com/pc/support and enter your machine type and model number for more information.

²² **ThinkPlus Services:** These services are available for machines normally used for business, professional, or trade purposes, rather than personal, family, or household purposes. Not all machine types and models are covered. Service period begins with the equipment date of purchase. Service must be purchased during the original limited product warranty period. Service levels are response time objectives and are not guarantees. If the machine problem turns out to be a Customer Replaceable Unit (CRU), a part will be express shipped to you for quick replacement. Onsite 24x7x2-hour service is not available in all locations. For ThinkPad notebooks requiring LCD or other component replacement, Lenovo may choose to perform service at the depot repair center. Calls must be received by 5 pm local time in order to qualify for Next Business Day service. P&L means parts and labor. P/U means pick-up. See ThinkPlus terms and conditions for complete details and restrictions.

²³ **Activating AT&T Wireless Service:** Requires separate agreement with AT&T, subject to service agreement, rate plan and coverage maps. AT&T, not Lenovo, is solely responsible for service. Coverage not available in all areas; AT&T BroadbandConnect available in select metropolitan markets. Special credit and tenure restrictions and additional charges may apply to international roaming. A network connection, third-party software, additional hardware, and/or subscription to a third-party service may be required for certain solutions/applications. Additional restrictions apply, including early termination fee; see www.wireless.att.com for details. To activate call Lenovo Wireless Activation Hot Line at 1-877-299-4710.

²⁴ **Limited onsite service systems** are designed to be repaired during the applicable warranty period primarily with customer-replaceable parts provided by Lenovo. Lenovo will only send a technician onsite to perform a repair if (a) remote telephone diagnosis and/or customer part replacement are unable to resolve the problem, or (b) the part is one of the few designated by Lenovo for onsite replacement. For a list of onsite replaceable parts, contact Lenovo. In the United States call 1-800-426-7378. Support unrelated to a warranty issue may be subject to additional charges. Lenovo onsite repair (LOR), 8 am to 5 pm, Monday through Friday coverage excluding holidays, next business day (NBD) response time.

²⁷ **Based on IEEE 802.11a and 802.11b.** A customer can not upgrade to a different wireless Mini PCI adapter due to FCC regulations. Security screws prevent removal of this adapter. This wireless LAN product has been designed to permit legal operation world-wide in regions which it is approved. This product has been tested and certified to be interoperable by the Wireless Ethernet Compatibility Alliance and is authorized to carry the Wi-Fi logo.

²⁸ **The IEEE 802.11n specification (MIMO)** has been finalized and is currently in IEEE 802.11n-2009 release. The maximum speed depends on the access point device and the number of integrated antenna used for connection. An adapter with 11a/b, 11a/b/g, 11b/g/n, or 11a/b/g/n can communicate on any of its supported formats.

³⁰ **Measures only maximum** data transfer rate, not application performance. Many factors affect application performance.

³² **Wireless:** Based on IEEE 802.11a, 802.11b, and 802.11g respectively. An adapter with 11a/b, 11b/g, or 11a/b/g can communicate on either/any of these listed formats respectively, the actual connection will be based on the access point to which it connects.

³⁵ **Operating system:** Level of support varies by operating system. Operating systems not preloaded on the system may not provide full feature functionality. Refer to lenovo.com/think/support and enter your machine type and model number for more information.

³⁷ **Battery:** The ThinkPad Edge and ThinkPad SL series do not support batteries that are not genuine Lenovo-made or authorized. These systems will continue to boot, but may not charge unauthorized batteries.

Warning: Lenovo has no responsibility for the performance or safety of unauthorized batteries, and provides no warranties for failures or damage arising out of their use.

This publication was developed for products and services offered in the United States. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.



Trademarks: Lenovo, the Lenovo logo, New World, New Thinking., Access Connections, Active Protection System, Rescue and Recovery, ThinkPad, ThinkVantage, ThinkVision, ThinkPlus, ThinkCentre, TrackPoint, UltraConnect, UltraNav, and Ultrabay are trademarks or registered trademarks of Lenovo. The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc. Any use of such marks by Lenovo is under license. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside logo, Intel Core and Core Inside, Intel Centrino logo, Pentium, Celeron and Intel SpeedStep are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. Cisco and Aironet are registered trademarks of Cisco Corporation. Linux is a trademark of Linus Torvalds in the United States, other countries, or both. Other company, product and service names may be trademarks or service marks of others.

Visit www.lenovo.com/safecomputing periodically for the latest information on safe and effective computing.

Visit www.lenovo.com/psref for the latest version of Personal Systems Reference.

© Lenovo, 2011.
All rights reserved.

Lenovo
1009 Think Place
Morrisville, NC 27560
U.S.A.

March 2011
slbook.pdf