


Schaums Interactive Outline Series: *Electromagnetics*




Platform: Windows

Includes the Mathcad Engine; requires 4 MB hard disk space

Available for ground shipment

The student will find this an excellent tool for exploring the universal laws governing electromagnetic waves and for gaining intuition about how various parameters affect the solutions to problems. The educator in physics and engineering will find a comprehensive selection of laboratory and homework exercises in Mathcad, with plenty of room for creativity and expansion. The seasoned professional can experiment with advanced graphing techniques, Bessel function solutions to Laplace's equation and the wave equation, and numerical techniques, as well as interpolated B-H data sets for magnetic circuit analysis.

[Table of Contents](#)[Product Sample](#)[Back to Product List](#)

You can examine different electric fields for different modes by changing the mode numbers.

Sample topics: Coulomb Forces and Electric Field Intensity; Electric Flux and Gauss' Law; Work, Energy and Potential; Current, Current Density and Conductors; Capacitance and Dielectric Materials; Ampere's Law and Magnetic Field; Inductance and Magnetic Circuits; Maxwell's Equations and Boundary Conditions; Transmission Lines; Waveguides; Antennas.

Schaums Interactive Outline Series: *Electromagnetics*




TABLE OF CONTENTS (page 1 of 5)

Chapter 1 Vector Analysis

Finding a Unit Vector (Schaum's Problem 1.2)
Coordinate System Transformation I(Schaum's Problem 1.3)
Cross and Dot Products (Schaum's Problem 1.5)
Projection of a Vector (Schaum's Problem 1.6)
Area and Volume Integrals (Schaum's Problems 1.11 and 1.12)
Area Integrals II (Schaum's Problem 1.13)
Coordinate System Transformation II (Schaum's Problem 1.15)

Chapter 2 Coulomb Forces and Electric Field Intensity

Coulomb Force on Point Charges (Schaum's Problem 2.1)
Symmetrically Arranged Charges (Schaum's Problem 2.2)
Coulomb Force due to a Charge Distribution (Schaum's Problems 2.4 and 2.5)
Electric Field of a Line Charge (Schaum's Problems 2.9 and 2.11)
Non-Uniform Charge Density (Schaum's Problems 2.21 and 2.22)
Electric Field from an Infinite Plane (Schaum's Problems 2.12 and 2.24)

Chapter 3 Electric Flux and Gauss' Law

Flux and Net Charge (Schaum's Problem 3.2)
Flux and Charge Density (Schaum's Problem 3.3)
Flux Density (Schaum's Problem 3.11)
Parallel Plate Capacitor (Schaum's Problem 3.17)
Charge/Flux Cancellation (Schaum's Supplementary Problem 3.37)
The Faraday Cage (Schaum's Example 3.2)

Chapter 4 Divergence and the Divergence Theorem


Divergence from Standard Charge Configurations (Schaum's Problem 4.2)
Divergence in Cartesian Coordinates (Schaum's Problem 4.6)
Divergence in Spherical Coordinates (Schaum's Problem 4.10)
The Divergence Theorem: Multi-Component Vector Field (Schaum's Problem 4.17)
The Divergence Theorem II: Inner and Outer Surface(Schaum's Problem 4.18)
The Divergence Theorem III: Spherical Segment (Schaum's Example 4.19)

[Product Sample](#)

[Back to Product List](#)

Schaums Interactive Outline Series: *Electromagnetics*

TABLE OF CONTENTS (page 2 of 5)



Chapter 5 The Electrostatic Field: Work, Energy and Potential

Conservative Vector Fields (Schaum's Problem 5.1)
Choosing Integration Paths (Schaum's Problem 5.2)
Potential From a Line Charge (Schaum's Problem 5.7)
Potential Reference Points (Schaum's Problem 5.8)
Multiple Charge System (Schaum's Problem 5.10)
The Wedge Capacitor (Schaum's Problem 5.14)
The Spherical Capacitor (Schaum's Problem 5.18)

Chapter 6 Current, Current Density and Conductors

Calculating Conductor Constants (Schaum's Problem 6.1)
Electrons and Current (Schaum's Problem 6.3)
Resistance (Schaum's Example 6.4)
Non-uniform Conduction Current (Schaum's Problem 6.10)
Surface Current (Schaum's Supplementary Problem 6.46)
Fields and Conductors I (Schaum's Problem 6.22)
Fields and Conductors II (Schaum's Supplementary Problem 6.53)

Chapter 7 Capacitance and Dielectric Materials

Electric Field at an Interface (Schaum's Problem 7.4 and Example 7.6)
Capacitance Relations (Schaum's Problems 7.8, 7.14 and 7.15)
Capacitor Voltage Divider (Schaum's Problem 7.17)
Breakdown Voltage (Schaum's Problem 7.21)
Method of Images (Schaum's Problem 7.22 and Supplementary Problem 7.34)
Coaxial Capacitor (Schaum's Problem 7.9 and Supplementary Problem 7.48)

Chapter 8 Laplace's Equation

Free Space Parallel Plate Capacitor (Schaum's Problem 8.5)
Dielectric Filled Capacitor (Schaum's Problem 8.6)
Laplace Equation in Spherical Coordinates (Schaum's Problem 8.10)
Coaxial Cone Capacitor (Schaum's Problems 8.11 through 8.14)
Surfaces of Constant Potential (Schaum's Problem 8.18)

[Product Sample](#)

[Back to Product List](#)

Schaums Interactive Outline Series:

Electromagnetics




TABLE OF CONTENTS (page 3 of 5)

Chapter 9 Magnetic Field and Curl

Magnetic Field from a Line Current (Schaum's Problem 9.2)
Magnetic Field from a Loop (Schaum's Problem 9.7)
Magnetic Potential (Schaum's Problem 9.12)
Current from a Magnetic Field (Schaum's Problem 9.14)
Magnetic Flux and Flux Density (Schaum's Problem 9.15)

Chapter 10 Magnetic Force and Torque

Force on a Current-Carrying System (Schaum's Problem 10.4)
Lorentz Force on a Proton (Schaum's Example 10.3)
Torque on a Wire Loop (Schaum's Problem 10.7)
Orbiting Charged Particles (Schaum's Problems 10.15 and 10.17)
Magnetic Work and Power (Schaum's Problems 10.13 and 10.14)

Chapter 11 Inductance and Magnetic Circuits

Inductance of a Coaxial Cable (Schaum's Examples 11.1, 11.3 and Problem 11.1)
Inductance for Common Geometries (Schaum's Section 11.2 and Problems 11.2, 11.3 and 11.4)
Magnetic Circuits (Schaum's Problem 11.8)
Magnetic Circuits with Air Gaps (Schaum's Problem 11.9)
Parallel Magnetic Circuits (Schaum's Problems 11.17 and 11.18)
Underconstrained Magnetic Circuits (Schaum's Problem 11.16)

Chapter 12 Displacement Current and Induced EMF

Current in a Coaxial Capacitor (Schaum's Problem 12.2)
Flux Induced Current and Voltage (Schaum's Problem 12.7)
Motion Induced Current and Voltage (Schaum's Problem 12.8)
Rotational Motion Induced Voltage (Schaum's Problem 12.10)
Rotating Loop in a Radial Magnetic Field (Schaum's Problems 12.11 and 12.15)
Rotating Loop in a Vertical Magnetic Field (Schaum's Problem 12.13)

[Product Sample](#)

[Back to Product List](#)

Schaums Interactive Outline Series: *Electromagnetics*




TABLE OF CONTENTS (page 4 of 5)

Chapter 13 Maxwell's Equations and Boundary Conditions

Magnetic Field at an Interface (Schaum's Problem 13.1)
Magnetic Field at an Oddly Oriented Interface (Schaum's Problem 13.3)
Magnetic Field at a Current Sheet Interface (Schaum's Problem 13.6)
Time-Dependent Wave Relationships (Schaum's Problems 13.8 and 13.9)
Finding the Relative Permittivity (Schaum's Problem 13.12)

Chapter 14 Electromagnetic Waves

Reflection and Transmission Angles (Schaum's Examples 4, 5 and 6)
Standing Waves (Schaum's Section 14.11)
Traveling Waves (Schaum's Problem 14.1)
Polarization of Waves (Schaum's Problem 14.4)
Attenuation in a Near-Perfect Dielectric (Schaum's Problem 14.8)
Skin Depth (Schaum's Problem 14.9)
Penetration Depth (Schaum's Problem 14.17)
Multiple Boundaries (Schaum's Problem 14.18)

Chapter 15 Transmission Lines

High Frequency Transmission Line Parameters (Schaum's Problems 15.2 and 15.9)
Voltage Relationships (Schaum's Problems 15.5 and 15.6)
Transmission Line Analysis (Schaum's Problem 15.10)
Transmission Line Analysis with Shunt (Schaum's Problem 15.12)
Impedance Matching (Schaum's Problem 15.18)

Chapter 16 Waveguides


Dominant Mode (Schaum's Section 16.6)
Rectangular Guide Parameters (Schaum's Problem 16.18)
Cylindrical Guide Parameters (Bessel Functions) (Schaum's Problems 16.10 and 16.19)
Cylindrical Guide Dominant Mode and Plots (Schaum's Problems 16.11, 16.13, 16.21 and 16.22)
Lossy Guide Calculations (Schaum's Problem 16.26)

[Product Sample](#)

[Back to Product List](#)

Schaums Interactive Outline Series: Electromagnetics

TABLE OF CONTENTS (page 5 of 5)



Chapter 17 Antennas


Current vs. Power in a Hertzian Dipole(Schaum's Problem 17.2)
Radiation Efficiency of a Loop Antenna(Schaum's Problem 17.6)
Radiation Patterns for Dipole Antennas(Schaum's Section 17.6)
Transmitters and Receivers(Schaum's Problems 17.13 and 17.14)
Linear Arrays(Schaum's Section 17.10)

Index

[Product Sample](#)

[Back to Product List](#)

Schaums Interactive Outline Series: Electromagnetics



SAMPLE PAGE (page 1 of 3)

Inductance for Common Geometries

Statement

The following figures give exact or approximate inductances of some common non-coaxial arrangements. Consider specific cases for several of these configurations: (a) Find the inductance per unit length of the parallel cylindrical conductors where $d \gg a$. (b) Now consider the cylindrical conductor over the infinite plane at a distance $d/2$. Find the inductance. (c) Assume that the air-core toroid shown has a circular cross section of radius c . Find the inductance with N turns and mean radius r .

System Parameters

$$d := 25 \cdot \text{ft}$$

$$a := 0.803 \cdot \text{in}$$


$$\mu H := 10^{-6} \cdot \text{henry}$$

$$c := 4 \cdot \text{mm}$$

$$N := 2500$$

$$r := 20 \cdot \text{mm}$$

Permeability of free space:
$$\mu_0 := 4 \cdot \pi \cdot 10^{-7} \cdot \frac{\text{henry}}{\text{m}}$$



(a)

$$L = \frac{\mu_0 \cdot N^2 \cdot a}{2 \cdot \pi} \cdot \ln \left(\frac{r_2}{r_1} \right) \cdot (\text{H})$$

[Table of Contents](#)

[Back to Product List](#)

Schaums Interactive Outline Series: Electromagnetics

SAMPLE PAGE (page 2 of 3)



$$L \approx \frac{\mu_0 \cdot N^2 \cdot S}{2 \cdot \pi \cdot r} \cdot (H)$$

(assuming average
flux density at
average radius r)

(b)




$$\frac{L}{len} = \frac{\mu_0}{\pi} \cdot \text{acosh} \left(\frac{d}{2 \cdot a} \right) \cdot \left(\frac{H}{m} \right)$$

For $d \gg a$,

$$\frac{L}{len} \approx \frac{\mu_0}{\pi} \cdot \ln \left(\frac{d}{a} \right) \cdot \left(\frac{H}{m} \right)$$


(c)



$$\frac{L}{len} = \frac{\mu_0}{2 \cdot \pi} \cdot \text{acosh} \left(\frac{d}{2 \cdot a} \right) \cdot \left(\frac{H}{m} \right)$$


$$\frac{L}{len} \approx \frac{\mu_0}{2 \cdot \pi} \cdot \ln \left(\frac{d}{a} \right) \cdot \left(\frac{H}{m} \right)$$

(d)



$$L = \frac{\mu_0 \cdot N^2 \cdot S}{len} \cdot (H)$$


(e)



[Table of Contents](#)

[Back to Product List](#)

Schaums Interactive Outline Series: Electromagnetics



SAMPLE PAGE (page 3 of 3)

Solution

(a) The expression for $\mathbf{H}$ derived in Chapter 9 from a straight current filament applies here. The magnitude of $\mathbf{H}$ and $\mathbf{B}$ are

$$H(r) = \frac{I}{2 \cdot \pi \cdot r} \cdot a \cdot \phi \quad B(r) = \mu_0 \cdot H(r)$$

The inductance per unit length is then the surface integral over

$$\frac{\mathbf{B} \cdot \mathbf{H}}{I^2} \quad \text{or} \quad \frac{\mu_0}{I^2} \cdot \left(\frac{I}{2 \cdot \pi \cdot r} \right)^2 \quad \text{in air}$$

The inductance per unit length is, as shown in the figure,

$$L := \frac{\mu_0}{\pi} \cdot \ln\left(\frac{d}{a}\right) \quad L = 2.37 \cdot \frac{\mu\text{H}}{\text{m}}$$

Compare the exact formula:

$$\frac{\mu_0}{\pi} \cdot \text{acosh}\left(\frac{d}{2 \cdot a}\right) = 2.37 \cdot \frac{\mu\text{H}}{\text{m}}$$

Try changing the values of d and a to see the difference between the exact and approximate formulas.

(b) The method of images (Problem 7.5) can be used on the case of an infinite conducting plane with a circular conductor. As expected, the inductance formula is half that for the two conductor case.

$$L := \frac{\mu_0}{2 \cdot \pi} \cdot \ln\left(\frac{d}{a}\right) \quad L = 1.18 \cdot \frac{\mu\text{H}}{\text{m}}$$

(c) Calculating the inductance for the air-core toroid is based on the magnetic field derived in Problem 9.2 times the number of turns, N (neglecting any deviations caused by the spiraling of the wire and considering the field as entirely in the center of the loops).

$$L := \frac{\mu_0 \cdot N^2 \cdot (\pi \cdot c^2)}{2 \cdot \pi \cdot r} \quad L = 3.14 \cdot 10^3 \cdot \mu\text{H}$$

[Table of Contents](#)

[Back to Product List](#)