


# Schaums Interactive Outline Series: Fluid Mechanics and Hydraulics


Platform: Windows

Includes the Mathcad Engine; requires 4 MB hard disk space

Available for ground shipment




The more than 120 problems and related material in this Electronic Book are designed to supplement standard textbooks in fluid mechanics and hydraulics. The student can explore fundamentals and gain intuition about how various parameters affect the solutions to problems. Physics and engineering educators will find a comprehensive selection of laboratory and homework exercises in Mathcad, with plenty of room for creativity and expansion. Practicing engineers will find detailed solutions to many practical problems and resource information. With the Mathcad Engine built-in you get the benefits of a "live" interface so you can change variables and let Mathcad calculate the results for you. And, the appendices of physical properties and coefficients are a useful addition

[Table of Contents](#)[Product Sample](#)[Back to Product List](#)

*Given cross-sectional area and slope, use the Chezy equation to optimize the dimensions for a trapezoidal channel.*

Topics include: Properties of Fluids, Hydrostatic Force on Surfaces, Buoyancy and Flotation, Dimensional Analysis and Hydraulic Similitude, Fundamentals of Fluid Flow in Conduits, and Open Channels, Measurement of Flow and Fluids, Forces Developed by Moving Fluids, and much more.

# *Schaums Interactive Outline Series: Fluid Mechanics and Hydraulics*



## *TABLE OF CONTENTS (page 1 of 6)*

### **Chapter 1 Properties of Fluids**

Basic Calculations (Schaum's Solved Problems 1.1 through 1.3)  
Pressure under Isothermal and Adiabatic Conditions (Schaum's Solved Problem 1.6)  
Computing Absolute Viscosity (Schaum's Solved Problem 1.12)  
Calculating Surface Tension (Schaum's Solved Problems 1.13 through 1.15)  
Capillary Adhesion and Cohesion (Schaum's Solved Problems 1.17 and 1.18)

### **Chapter 2 Fluid Statics**

Calculating Absolute and Gage Pressure (Schaum's Solved Problems 2.3 and 2.5)  
Measuring Pressure Using a Piezometer (Schaum's Solved Problem 2.12)  
Using a Manometer (Schaum's Solved Problem 2.16)  
Using a Differential Pressure Gage (Schaum's Solved Problem 2.20)  
Finding the Intensity Pressure in the Ocean (Schaum's Solved Problem 2.23)

### **Chapter 3 Hydrostatic Force on Surfaces**

Determining the Force of Water in a Tank (Schaum's Solved Problem 3.5)  
Calculating Force on a Curved Surface (Schaum's Solved Problem 3.12)  
Calculating Stress in a Steel Pipe (Schaum's Solved Problem 3.17)  
Calculating Stress in a Storage Vat (Schaum's Solved Problem 3.18)  
Calculating the Factor of Safety in a Dam (Schaum's Solved Problem 3.20)


### **Chapter 4 Buoyancy and Flotation**

Determining Weight, Volume, and Specific Gravity by Immersion (Schaum's Solved Problems 4.1 and 4.2)  
Hydrometer Principles (Schaum's Solved Problem 4.3)  
Depth of a Submerged Cylinder (Schaum's Solved Problem 4.8)  
Draft of a Ship (Schaum's Solved Problem 4.10)  
Stability and Righting Moments (Schaum's Solved Problem 4.13)

[Product Sample](#)

[Back to Product List](#)

# *Schaums Interactive Outline Series:* *Fluid Mechanics and Hydraulics*



## **TABLE OF CONTENTS** (page 2 of 6)

### **Chapter 5 Translation and Rotation of Liquid Masses**

- Horizontal Acceleration of a Liquid Mass (Schaum's Solved Problem 5.1)
- Acceleration of a Water Mass up an Inclined Plane (Schaum's Solved Problem 5.4)
- Wall Force Exerted by a Fluid in an Accelerating Tank (Schaum's Solved Problem 5.5)
- Rotation of a Liquid Mass in an Open Container (Schaum's Solved Problem 5.8)
- Rotation of a Liquid Mass in a Closed Container (Schaum's Solved Problem 5.9)

### **Chapter 6 Dimensional Analysis and Hydraulic Similitude**

- Reynolds Number ( $Re$ ) (Schaum's Solved Problem 6.3)
- Flow Through an Orifice (Schaum's Solved Problem 6.4)
- Drag Force (Schaum's Solved Problem 6.9)
- Useful Ratios and Models (Schaum's Solved Problems 6.18 through 6.20)
- Dynamic Similitude of Water and Oil Flow Through a Pipe (Schaum's Solved Problem 6.22)
- Application of the Reynolds Law Model (Schaum's Solved Problem 6.25)

### **Chapter 7 Fundamentals of Fluid Flow**

- Applications for the Equation of Continuity (Schaum's Solved Problems 7.2 and 7.3)
- Compressible Steady Flow (Schaum's Solved Problem 7.5)
- Evaluating the Kinetic Energy Correction Factor (Schaum's Solved Problem 7.18)
- Finding the Total Energy Head (Schaum's Solved Problem 7.23)
- Flow Through a Venturi Meter (Schaum's Solved Problem 7.24)
- Head Loss due to Frictional Stress (Schaum's Solved Problem 7.28)
- Power Delivered to a Turbine (Schaum's Solved Problem 7.32)
- Flow Through a Turbine (Schaum's Solved Problem 7.33)
- A Siphon with Head Loss (Schaum's Solved Problem 7.35)
- Incompressible and Compressible Fluid Discharge from a Tank (Schaum's Solved Problem 7.39)
- Steady Flow Under Isothermal Conditions (Schaum's Solved Problem 7.41)


### **Chapter 8 Flow in Closed Conduits**

- Determining Critical Velocity (Schaum's Solved Problem 8.1)
- Size of Pipe for Laminar Flow (Schaum's Solved Problem 8.3)
- Shear Stress Distribution of a Steady Flow in a Circular Pipe (Schaum's Solved Problem 8.4)
- Velocity Distribution for Steady Laminar Flow (Schaum's Solved Problem 8.6)

[Product Sample](#)

[Back to Product List](#)

# *Schaums Interactive Outline Series:* *Fluid Mechanics and Hydraulics*



## *TABLE OF CONTENTS (page 3 of 6)*

Derivation of Head Loss in Pipes for Laminar Flow of an Incompressible Fluid (Schaum's Solved Problem 8.7)  
Calculating Shear Stress, Shear Velocity, Average Velocity and Friction Velocity (Schaum's Solved Problem 8.8)  
Shear Stress Between Flowing Water and a Square Pipe Wall (Schaum's Solved Problem 8.9)  
Determining Absolute Viscosity Through Pressure Drop (Schaum's Solved Problem 8.10)  
Determining Required Pipe Diameter for a Flow Rate (Schaum's Solved Problem 8.14)  
Determining Flow Rate for Turbulent Flow with Head Loss (Schaum's Solved Problem 8.16)  
Determining Pipe Size from Required Flow Rate (Schaum's Solved Problem 8.19)  
Determining the Head Loss of Flowing Air in a Rectangular Duct (Schaum's Solved Problem 8.27)  
Examples Involving the Hazen-Williams and Manning Formulas (Schaum's Solved Problems 8.28 and 8.29)

## **Chapter 9 Complex Pipeline Systems**

Equivalent Pipes (Schaum's Solved Problem 9.1)  
Pipes in Series (Schaum's Solved Problem 9.4)  
Parallel Pipe System (Schaum's Solved Problem 9.8)  
Determining Head Loss in a Parallel-Pipe System Given the Total Flow Rate (Schaum's Solved Problem 9.9)  
Branching Pipes (Schaum's Solved Problem 9.14)  
Pipe Networks (Schaum's Solved Problem 9.20)


## **Chapter 10 Flow in Open Channels**

Steady Uniform Flow in Wide, Open Channels with Smooth Surfaces (Schaum's Solved Problem 10.6)  
Velocity as a Function of Depth in a Wide Rectangular Channel (Schaum's Solved Problem 10.7)  
Using the Powell Equation to Determine the Flow Rate (Schaum's Solved Problem 10.9)  
Determining the Chezy Coefficient C by the Powell Equation (Schaum's Solved Problem 10.11)

[Product Sample](#)

[Back to Product List](#)

# *Schaums Interactive Outline Series:* *Fluid Mechanics and Hydraulics*



## **TABLE OF CONTENTS (page 4 of 6)**

Determining the Roughness Factor for the Lining of a Channel (Schaum's Solved Problem 10.15)  
Matching Flow from Open Channels to Pipes (Schaum's Solved Problem 10.18)  
Flow in Partially Filled Pipes (Schaum's Solved Problem 10.19)  
Flow in Trapezoidal Channels (Schaum's Solved Problem 10.29)  
Optimal Dimensions for a Trapezoidal Channel (Schaum's Solved Problem 10.30)  
Critical Flow (Schaum's Solved Problem 10.33)  
Determining Type of Flow in a Rectangular Channel (Schaum's Solved Problem 10.38)  
Minimum Specific Energy and Type of Flow in a Rectangular Channel (Schaum's Solved Problem 10.42)  
Solution of Flow Rate from Two Depth Measurements (Schaum's Solved Problem 10.49)  
Distance from an Obstruction to the Point of Normal Depth (Schaum's Solved Problem 10.50)  
Capacity in a Flume with a Weir at the Discharge End (Schaum's Solved Problem 10.51)  
Hydraulic Jump (Schaum's Solved Problem 10.55)  
Hydraulic Jump Downstream of a Spillway (Schaum's Solved Problem 10.58)

## **Chapter 11 Flow of Compressible Fluids**

Isothermal Flow in a Smooth Pipe (Schaum's Solved Problem 11.1)  
Isentropic Flow in a Pipe (Schaum's Solved Problem 11.3)  
Subsonic Flow through a Convergent Nozzle (Schaum's Solved Problem 11.5)  
Sonic Flow through a Convergent Nozzle (Schaum's Solved Problem 11.6)  
Compressible Flow through a Constriction (Schaum's Solved Problem 11.7)


## **Chapter 12 Measurement of Flow of Fluids**

Pitot Tube for Measuring Flow Velocity (Schaum's Solved Problem 12.1)  
Pitot Tube Connected to a Differential Gage Containing Water (Schaum's Solved Problem 12.2)  
Measuring the Flow of a Gas in a Pitot Tube (Schaum's Solved Problems 12.5 and 12.6)  
Flow Through an Orifice (Schaum's Solved Problem 12.9)  
Venturi Meter (Schaum's Solved Problem 12.17)  
Flow Through a Pipe Orifice (Schaum's Solved Problem 12.19)

[Product Sample](#)

[Back to Product List](#)

# *Schaums Interactive Outline Series:* *Fluid Mechanics and Hydraulics*



## *TABLE OF CONTENTS (page 5 of 6)*

Determining the Flow Rate Through a Pipe Orifice Given the Pressure Head Differential (Schaum's Solved Problem 12.21)  
Determining Gage Reading from Flow Rate Through a Nozzle (Schaum's Solved Problem 12.22)  
Compressible Flow through a Venturi Meter (Schaum's Solved Problems 12.23 through 12.25)  
Flow Over a Suppressed Weir (Schaum's Solved Problem 12.32)  
Flow Over a Contracted Weir (Schaum's Solved Problem 12.34)  
Flow from an Orifice Over a Contracted Weir (Schaum's Solved Problem 12.35)  
Flow Through a Triangular-Notched Weir (Schaum's Solved Problem 12.36)  
Time to Empty Tanks: Constant Cross Section, No Inflow (Schaum's Solved Problem 12.41)  
Time to Empty a Tank by Means of a Suppressed Weir (Schaum's Solved Problems 12.45 and 12.46)  
Time to Establish Flow (Schaum's Solved Problems 12.49 and 12.50)


## **Chapter 13 Forces Developed by Moving Fluids**

Impulse-Momentum of a Water Jet Impacting a Curved Plate v(Schaum's Solved Problem 13.4)  
Impulse-Momentum Principle for a Water Jet Applied to a Moving Blade (Schaum's Solved Problem 13.8)  
Maximizing the Power Delivered to Moving Blades (Schaum's Solved Problem 13.10)  
Force Developed by Flow in a Reducing Bend (Schaum's Solved Problem 13.14)  
Impulse-Momentum in a Rotating System (Schaum's Solved Problem 13.17)  
Propulsive Devices (Schaum's Solved Problems 13.18, 13.19 and 13.23)  
Drag Force on a Long Wire (Schaum's Solved Problem 13.27)  
Lift Generated by a Wing with an Angle of Attack (Schaum's Solved Problem 13.29)  
Drag Force on a Steel Ball in Oil (Schaum's Solved Problem 13.37)  
Laminar Flow around a Thin Flat Plate(Schaum's Solved Problem 13.43)  
Turbulent Flow around a Thin Flat Plate (Schaum's Solved Problem 13.45)  
Water Hammer in a Pipeline (Schaum's Solved Problem 13.53)  
A Projectile Traveling at Supersonic Speeds (Schaum's Solved Problem 13.57)

[Product Sample](#)

[Back to Product List](#)

# *Schaums Interactive Outline Series: Fluid Mechanics and Hydraulics*



## *TABLE OF CONTENTS (page 6 of 6)*

### **Chapter 14 Fluid Machinery**

- Calculating Turbine Power, Pressure Head and Entrance Pressure (Schaum's Solved Problem 14.3)
- Calculating the Wheel Diameter, Flow, Speed and Power of a Tangential Turbine (Schaum's Solved Problem 14.6)
- Reaction Turbines at the Hoover Dam (Schaum's Solved Problem 14.10)
- Pelton Wheel (Schaum's Solved Problem 14.12)
- Scaling Between a Prototype and a Model Centrifugal Pump Using the Speed, Discharge and Power Relations (Schaum's Solved Problem 14.17)
- Geometrically Similar Pumps (Schaum's Solved Problem 14.18)
- Determining Pump Head and Flow Given Pipe Wall Friction and Static Lift (Schaum's Solved Problem 14.21)
- Propeller Model and Prototype (Schaum's Solved Problem 14.24)
- Propeller Driven Airplane (Schaum's Solved Problem 14.27)

### **Appendix**


- Table 1-A Approximate Properties of Some Gases
- Table 1-B Some Properties of Air at Atmospheric Pressure
- Table 1-C Mechanical Properties of Water at Atmospheric Pressure
- Table 2 Specific Weight and Kinematic Viscosity of Certain Liquids
- Table 3 Frictional Factors  $f$  for Water Only
- Table 4 Typical Lost Head Items
- Table 5 Values of  $K$ , Contractions and Enlargements
- Table 6 Some Values of Hazen-Williams Coefficient  $C$
- Table 7 Discharge Coefficients for Vertical Sharp-Edged Circular Orifices
- Table 9 A few Average Values of  $n$  for Use in the Kutter and Manning Formulas and  $M$  in the Bazin Formula
- Frictional Factors  $f$  and Roughness Table (Design Values)
- Coefficient of Discharge: Pipe Orifices (Vena Contracta Taps)
- Coefficient of Discharge: Flow Nozzles
- Coefficient of Discharge: Venturi Meters,  $b = 0.5$
- Coefficient of Drag: Infinite Cylinder and Sphere
- Coefficient of Drag at Supersonic Velocities for Various Shapes

[Product Sample](#)

[Back to Product List](#)

# Schaums Interactive Outline Series: Fluid Mechanics and Hydraulics


SAMPLE PAGE (page 1 of 3)



## Calculating Shear Stress, Shear Velocity, Average Velocity and Friction Velocity

### Statement


Determine (a) the shear stress at the walls of a pipe with diameter  $d$  when water flowing causes a measured head loss of  $h_L$  in a length  $L$  of the pipe, (b) the shear stress at distance  $R$  from the centerline of the pipe, (c) the shear velocity, (d) the average velocity for a friction factor  $f$ , and (e) the ratio  $v/v_{fric}$ .



[Table of Contents](#)

[Back to Product List](#)

# Schaums Interactive Outline Series: Fluid Mechanics and Hydraulics



SAMPLE PAGE (page 2 of 3)

## System Parameters

Pipe diameter:

$$d := 12 \cdot \text{in}$$

Pipe radius:

$$r_0 := \frac{d}{2}$$

Head Loss:

$$h_L := 15 \cdot \text{ft}$$

Length over which  $h_L$  is measured:

$$L := 300 \cdot \text{ft}$$

Radius at which shear stress is to be calculated:

$$R := 2 \cdot \text{in}$$

Friction factor:

$$f := 0.050$$

Specific weight of water:

$$\gamma := 62.4 \cdot \frac{\text{lbf}}{\text{ft}^3}$$

Density of water:

$$\rho := \frac{\gamma}{g}$$

## Solution

(a) Using the results of Solved Problem 8.3, when  $r = r_0$  the shear stress at the wall is

$$\tau_0 := \frac{\gamma \cdot h_L \cdot r_0}{2 \cdot L} \quad \tau_0 = 5.41667 \cdot 10^{-3} \text{ psi}$$

(b) Since  $t$  varies linearly from centerline to wall,

$$\tau := \frac{R}{r_0} \cdot \tau_0 \quad \tau = 1.80556 \cdot 10^{-3} \text{ psi}$$


(c) The equation for shear velocity (or friction velocity) from Chapter 8 is

$$v_{\text{fric}} := \sqrt{\frac{\tau_0}{\rho}} \quad v_{\text{fric}} = 0.634 \cdot \frac{\text{ft}}{\text{sec}}$$

[Table of Contents](#)

[Back to Product List](#)

# Schaums Interactive Outline Series: Fluid Mechanics and Hydraulics



SAMPLE PAGE (page 3 of 3)

(d) Using the Darcy-Weisbach formula (see Chapter 8), the average velocity  $V$  can be determined:

$$h_L = f \cdot \left( \frac{L}{d} \right) \cdot \left( \frac{V^2}{2 \cdot g} \right)$$

Solving for  $V$  yields

$$V := \sqrt{\frac{d \cdot g \cdot 2 \cdot h_L}{f \cdot L}} \quad V = 8.02 \cdot \frac{\text{ft}}{\text{sec}}$$

(e) From the following two equations,

$$\tau_0 = \mu \cdot \frac{v}{y} \quad v = \frac{\mu}{\rho}$$

we obtain (by eliminating  $\mu$ )

$$\tau_0 = v \cdot \rho \cdot \frac{v}{y} \quad \frac{\tau_0}{\rho} = v \cdot \frac{v}{y}$$

But, from Chapter 8, the S=shear velocity  $v_{\text{fric}}$  is defined as

$$v_{\text{fric}}^2 = \frac{\tau_0}{\rho}$$

Therefore, by substitution and rearrangement:

$$v_{\text{fric}}^2 = v \cdot \frac{v}{y} \quad \frac{v}{v_{\text{fric}}} = \frac{v_{\text{fric}} \cdot y}{v}$$

[Table of Contents](#)

[Back to Product List](#)